

PUBLICATIONS

1. Benditt EP, **Gown AM**. Atheroma: the artery wall and the environment. *Int Rev Exp Pathol* 21: 55-118, 1980.
2. Bond JA, **Gown AM**, Yang HL, Benditt EP, Juchau MR. Further investigations of the capacity of polynuclear aromatic hydrocarbons to elicit atherosclerotic lesions. *J Toxicol Environ Health* 7: 327-335, 1981.
3. **Gown AM**, Benditt EP. Lactate dehydrogenase (LDH) isozymes of human atherosclerotic plaques. *Am J Pathol* 107: 316-321, 1982.
4. **Gown AM**, Hazzard WR, Benditt EP. Type III hyperlipoproteinemia and atherosclerosis: a case report and re-evaluation. *Hum Pathol* 13: 506-510, 1982.
5. **Gown AM**, Vogel AM. Monoclonal antibodies to intermediate filament proteins of human cells: unique and cross-reacting antibodies. *J Cell Biol* 95: 414-424, 1982.
6. Vogel AM, **Gown AM**. Monoclonal antibodies to intermediate filament proteins. Use in diagnostic surgical pathology. *Cell Muscle Motil* 5: 379-403, 1984.
7. Clowes AW, Clowes MM, **Gown AM**, Wight TN. Localization of proteoglycan sulfate in rat aorta. *Histochemistry* 80: 379-384, 1984.
8. **Gown AM**, Vogel AM. Anti-intermediate filament monoclonal antibodies: Tissue-specific tools in tumor diagnosis. *Surv Synth Pathol Res* 3: 369-385, 1984.
9. **Gown AM**, Vogel AM. Monoclonal antibodies to human intermediate filament proteins. II. Distribution of filament proteins in normal human tissues. *Am J Pathol* 114: 309-321, 1984.
10. Singer JW, Keating A, Cuttner J, **Gown AM**, Jacobson R, Killen PD, Moehr JW, Najfeld V, Powell J, Sanders J, Striker GE, Fialkow PJ. Evidence for a stem cell common to hematopoiesis and its in vitro microenvironment: studies of patients with clonal hematopoietic neoplasia. *Leuk Res* 8: 535-545, 1984.
11. Striker GE, Soderland C, Bowen-Pope DF, **Gown AM**, Schmer G, Johnson A, Luchtel D, Ross R, Striker LJ. Isolation, characterization, and propagation in vitro of human glomerular endothelial cells. *J Exp Med* 160: 323-328, 1984.
12. Vogel AM, **Gown AM**, Caughlan J, Haas JE, Beckwith JB. Rhabdoid tumors of the kidney contain mesenchymal specific and epithelial specific intermediate filament proteins. *Lab Invest* 50: 232-238, 1984.
13. Anonsen C, Dobie RA, Hoekema D, Huang TW, **Gown AM**. Carcinosarcoma of the floor of mouth. *J Otolaryngol* 14: 215-220, 1985.

14. **Gown AM**, Vogel AM. Monoclonal antibodies to human intermediate filament proteins. III. Analysis of tumors. *Am J Clin Pathol* 84: 413-424, 1985.
15. McNutt MA, Bolen JW, **Gown AM**, Hammar SP, Vogel AM. Coexpression of intermediate filaments in human epithelial neoplasms. *Ultrastruct Pathol* 9: 31-43, 1985.
16. Charbord P, **Gown AM**, Keating A, Singer JW. CGA-7 and HHF, two monoclonal antibodies that recognize muscle actin and react with adherent cells in human long-term bone marrow cultures. *Blood* 66: 1138-1142, 1985.
17. Chi EY, **Gown AM**, Vogel AM, Teh EC. Intermediate filaments in the developing type II cell of fetal monkey lung. *J Histochem Cytochem* 33: 1161-1168, 1985.
18. Clowes AW, **Gown AM**, Hanson SR, Reidy MA. Mechanisms of arterial graft failure. 1. Role of cellular proliferation in early healing of PTFE prostheses. *Am J Pathol* 118: 43-54, 1985.
19. **Gown AM**, Vogel AM, Gordon D, Lu PL. A smooth muscle-specific monoclonal antibody recognizes smooth muscle actin isozymes. *J Cell Biol* 100: 807-813, 1985.
20. Joselow SA, **Gown A**, Mannik M. Cutaneous deposition of immune complexes in chronic serum sickness of mice induced with cationized or unaltered antigen. *J Invest Dermatol* 85: 559-563, 1985.
21. McNutt MA, Bolen JW, **Gown AM**, Hammar SP, Vogel AM. Metastatic renal cell carcinoma. *Ultrastruct Pathol* 9: 45-49, 1985.
22. Esclamado RM, **Gown AM**, Vogel AM. Unique proteins defined by monoclonal antibodies specific for human melanoma. Some potential clinical applications. *Am J Surg* 152: 376-385, 1986.
23. **Gown AM**, Garcia R, Ferguson M, Yamanaka E, Tippens D. Avidin-biotin-immunoglucose oxidase: Use in single and double labeling procedures. *J Histochem Cytochem* 34: 403-409, 1986.
24. **Gown AM**, Tsukada T, Ross R. Human atherosclerosis. II. Immunocytochemical analysis of the cellular composition of human atherosclerotic lesions. *Am J Pathol* 125: 191-207, 1986.
25. **Gown AM**, Vogel AM, Hoak D, Gough F, McNutt MA. Monoclonal antibodies specific for melanocytic tumors distinguish subpopulations of melanocytes. *Am J Pathol* 123: 195-203, 1986.
26. Raghu G, Striker L, Harlan J, **Gown A**, Striker G. Cytoskeletal changes as an early event in hydrogen peroxide-induced cell injury: A study in A549 cells. *Br J Exp Pathol* 67: 105-112, 1986.

27. Tsukada T, Rosenfeld M, Ross R, **Gown AM**. Immunocytochemical analysis of cellular components in atherosclerotic lesions. Use of monoclonal antibodies with the Watanabe and fat-fed rabbit. *Arteriosclerosis* 6: 601-613, 1986.
28. Charbord P, Tippens D, Wight TS, **Gown AM**, Singer JW. Stromal cells from human long-term marrow cultures, but not cultured marrow fibroblasts, phagocytose horse serum constituents: studies with a monoclonal antibody that reacts with a species-specific epitope common to multiple horse serum proteins. *Exp Hematol* 15: 72-77, 1987.
29. Dale BA, **Gown AM**, Fleckman P, Kimball JR, Resing KA. Characterization of two monoclonal antibodies to human epidermal keratohyalin: reactivity with filaggrin and related proteins. *J Invest Dermatol* 88: 306-313, 1987.
30. Mar H, Tsukada T, **Gown AM**, Wight TN, Baskin DG. Correlative light and electron microscopic immunocytochemistry on the same section with colloidal gold. *J Histochem Cytochem* 35: 419-425, 1987.
31. Orcutt JC, Reeh MJ, **Gown AM**, Lindquist TD. Diagnosis of orbital and periorbital tumors. Use of monoclonal antibodies to cytoplasmic antigens (intermediate filaments). *Ophthal Plast Reconstr Surg* 3: 159-178, 1987.
32. Raugi GJ, Olerud JE, **Gown AM**. Thrombospondin in early human wound tissue. *J Invest Dermatol* 89: 551-554, 1987.
33. Rosenfeld ME, Tsukada T, Chait A, Bierman EL, **Gown AM**, Ross R. Fatty streak expansion and maturation in Watanabe Heritable Hyperlipemic and comparably hypercholesterolemic fat-fed rabbits. *Arteriosclerosis* 7: 24-34, 1987.
34. Rosenfeld ME, Tsukada T, **Gown AM**, Ross R. Fatty streak initiation in Watanabe Heritable Hyperlipemic and comparably hypercholesterolemic fat-fed rabbits. *Arteriosclerosis* 7: 9-23, 1987.
35. Shulman HM, **Gown AM**, Nugent DJ. Hepatic veno-occlusive disease after bone marrow transplantation. Immunohistochemical identification of the material within occluded central venules. *Am J Pathol* 127: 549-558, 1987.
36. Tsukada T, Tippens D, Gordon D, Ross R, **Gown AM**. HHF35, a muscle-actin-specific monoclonal antibody. I. Immunocytochemical and biochemical characterization. *Am J Pathol* 126: 51-60, 1987.
37. Tsukada T, McNutt MA, Ross R, **Gown AM**. HHF35, a muscle actin-specific monoclonal antibody. II. Reactivity in normal, reactive, and neoplastic human tissues. *Am J Pathol* 127: 389-402, 1987.

38. Duray PH, Palazzo J, **Gown AM**, Ohuchi N. Melanoma cell heterogeneity. A study of two monoclonal antibodies compared with S-100 protein in paraffin sections. *Cancer* 61: 2460-2468, 1988.
39. **Gown AM**, Boyd HC, Chang Y, Ferguson M, Reichler B, Tippens D. Smooth muscle cells can express cytokeratins of "simple" epithelium. Immunocytochemical and biochemical studies in vitro and in vivo. *Am J Pathol* 132: 223-232, 1988.
40. Kao HW, Finn SE, **Gown AM**, Lechago J, Lachant N, Snape WJ. Cultured circular smooth muscle from the rabbit colon. *In Vitro Cell Dev Biol* 24: 787-794, 1988.
41. Lindquist TD, Orcutt JC, **Gown AM**. Monoclonal antibodies to intermediate filament proteins: Diagnostic specificity in orbital pathology. *Surv Ophthalmol* 32: 421-426, 1988.
42. Oda D, **Gown AM**, Vande Berg JS, Stern R. The fibroblast-like nature of myofibroblasts. *Exp Mol Pathol* 49: 316-329, 1988.
43. Olerud JE, **Gown AM**, Bickenbach J, Dale B, Odland GF. An assessment of human epidermal repair in elderly normal subjects using immunohistochemical methods. *J Invest Dermatol* 90: 845-850, 1988.
44. Schmidt RA, Cone R, Haas JE, **Gown AM**. Diagnosis of rhabdomyosarcomas with HHF35, a monoclonal antibody directed against muscle actins. *Am J Pathol* 131: 19-28, 1988.
45. Self DA, Schroeder PC, **Gown AM**. Hamster thecal cells express muscle characteristics. *Biol Reprod* 39: 119-130, 1988.
46. Corwin DJ, **Gown AM**. Review of selected lineage-directed antibodies useful in routinely processed tissues. *Arch Pathol Lab Med* 113: 645-652, 1989.
47. Alpers CE, Magil AB, **Gown AM**. Macrophage origin of the multinucleated cells of myeloma cast nephropathy. *Am J Clin Pathol* 92: 662-665, 1989.
48. Boyd HC, **Gown AM**, Wolfbauer G, Chait A. Direct evidence for a protein recognized by a monoclonal antibody against oxidatively modified LDL in atherosclerotic lesions from Watanabe heritable hyperlipidemic rabbits. *Am J Pathol* 135: 815-825, 1989.
49. Elias JM, **Gown AM**, Nakamura RM, Wilbur DC, Herman GE, Jaffe ES, Battifora H, Brigati DJ. Quality control in immunohistochemistry. Report of a workshop sponsored by the Biological Stain Commission. *Am J Clin Pathol* 92: 836-843, 1989.
50. Ellis G, Ferguson M, Yamanaka E, Livingston RB, **Gown AM**. Monoclonal antibodies for detection of occult carcinoma cells in bone marrow of breast cancer patients. *Cancer* 63: 2509-2514, 1989.

51. Fager G, Hansson GK, **Gown AM**, Larson DM, Skalli O, Bondjers G. Human arterial smooth muscle cells in culture: inverse relationships between proliferation and expression of contractile proteins. *In Vitro Cell Dev Biol* 25: 511-520, 1989.
52. Garcia RL, Coltrera MD, **Gown AM**. Analysis of proliferative grade using anti-PCNA/cyclin monoclonal antibodies in fixed, embedded sections. Comparison with flow cytometric analysis. *Am J Pathol* 134: 733-739, 1989.
53. Holbrook KA, Underwood RA, Vogel AM, **Gown AM**, Kimball H. The appearance, density, and distribution of melanocytes in human embryonic and fetal skin revealed by the anti-melanoma monoclonal antibody, HMB-45. *Anat Embryol* 180: 443-455, 1989.
54. Kelly SB, Olerud JE, Witztum JL, Curtiss LK, **Gown AM**, Odland GF. A method for localizing the early products of nonenzymatic glycosylation in fixed tissue. *J Invest Dermatol* 93: 327-331, 1989.
55. Lofton SA, **Gown AM**, Vogel AM, Krieger JN. Differential diagnosis of genitourinary tumors using monoclonal antibodies to intermediate filament proteins. *Urology* 33: 433-439, 1989.
56. Papas-Corden P, Zarbo RJ, **Gown AM**, Crissman JD. Immunohistochemical characterization of synovial, epithelioid, and clear cell sarcomas. *Surg Pathol* 2: 43-58, 1989.
57. Small M, van Ewijk W, **Gown AM**, Rouse RV. Identification of subpopulations of mouse thymic epithelial cells in culture. *Immunology* 68: 371-377, 1989.
58. Thompson SJ, Schatteman GC, **Gown AM**, Bothwell M. A monoclonal antibody against nerve growth factor receptor. Immunohistochemical analysis of normal and neoplastic human tissue. *Am J Clin Pathol* 92: 415-423, 1989.
59. Ellis GK, **Gown AM**. New applications of monoclonal antibodies to the diagnosis and prognosis of breast cancer. *Pathol Annu* 25(II): 193-235, 1990.
60. **Gown AM**. Editorial: The mysteries of the myofibroblast (partially) unmasked. *Lab Invest* 63: 1-3, 1990.
61. Alpers CE, Gordon D, **Gown AM**. Immunophenotype of vascular rejection in renal transplants. *Mod Pathol* 3: 198-203, 1990.
62. Cain JM, Ellis GK, Collins C, Greer BE, Tamimi HK, Figge DC, **Gown AM**, Livingston RB. Bone marrow involvement in epithelial ovarian cancer by immunocytochemical assessment. *Gynecol Oncol* 38: 442-445, 1990.

63. Charbord P, Lerat H, Newton I, Tamayo E, **Gown AM**, Singer JW, Herve P. The cytoskeleton of stromal cells from human bone marrow cultures resembles that of cultured smooth muscle cells. *Exp Hematol* 18: 276-282, 1990.
64. Hayashi Y, Sugimoto T, Horii Y, Hosoi H, Inazawa J, Kemshead JT, Inaba T, Hanada R, Yamamoto K, **Gown AM**, Sawada T. Characterization of an embryonal rhabdomyosarcoma cell line showing amplification and over-expression of the N-myc oncogene. *Int J Cancer* 45: 705-711, 1990.
65. Oda D, **Gown AM**, Vande Berg JS, Stern R. Instability of the myofibroblast phenotype in culture. *Exp Mol Pathol* 52: 221-234, 1990.
66. Schmidt RA, **Gown AM**. "Professional" and "nonprofessional" contractile cells in the lung. *Am J Respir Cell Mol Biol* 3: 513-514, 1990.
67. Ross R, Masuda J, Raines EW, **Gown AM**, Katsuda S, Sasahara M, Malden LT, Masuko H, Sato H. Localization of PDGF-B protein in macrophages in all phases of atherogenesis. *Science* 248: 1009-1012, 1990.
68. Sun J, Morton TH, **Gown AM**. Antibody HMB-45 identifies the cells of blue nevi. An immunohistochemical study on paraffin sections. *Am J Surg Pathol* 14: 748-751, 1990.
69. Zarbo RJ, **Gown AM**, Nagle RB, Visscher DW, Crissman JD. Anomalous cytokeratin expression in malignant melanoma: one- and two-dimensional western blot analysis and immunohistochemical survey of 100 melanomas. *Mod Pathol* 3: 494-501, 1990.
70. Bacchi CE, **Gown AM**. Distribution and pattern of expression of villin, a gastrointestinal-associated cytoskeletal protein, in human carcinomas: A study employing paraffin-embedded tissue. *Lab Invest* 64: 418-424, 1991.
71. Porter PL, Bigler SA, McNutt M, **Gown AM**. The immunophenotype of hemangiopericytomas and glomus tumors, with special reference to muscle protein expression: An immunohistochemical study and review of the literature. *Mod Pathol* 4: 46-52, 1991.
72. Benjamin DR, **Gown AM**. Aberrant cytoplasmic expression of proliferating cell nuclear antigen in Hodgkins disease. *Am J Surg Pathol* 15: 764-768, 1991.
73. Bonetti F, Pea M, Martignoni G, Mombello A, Colombari R, Zamboni G, Scarpa A, Piubello Q, Bacchi CE, **Gown AM**. False-positive immunostaining of normal epithelia and carcinomas with ascites fluid preparations of antimelanoma monoclonal antibody HMB45. *Am J Clin Pathol* 95: 454-459, 1991.
74. Charbord P, Tamayo E, Saeland S, Duvert V, Poulet J, **Gown AM**, Herve P. Granulocyte-macrophage colony-stimulating factor (GM-CSF) in human long-term bone marrow

- cultures: endogenous production in the adherent layer and effect of exogenous GM-CSF on granulomonopoiesis. *Blood* 78: 1230-1236, 1991.
75. Coltrera MD, **Gown AM**. PCNA/cyclin expression and BrdU uptake define different subpopulations in different cell lines. *J Histochem Cytochem* 39: 23-30, 1991.
 76. Gaffey MJ, Mills SE, Zarbo RJ, Weiss LM, **Gown AM**. Clear cell tumor of the lung. Immunohistochemical and ultrastructural evidence of melanogenesis. *Am J Surg Pathol* 15: 644-653, 1991.
 77. Iida H, Seifert R, Alpers CE, Gronwald RGK, Phillips PE, Pritzl P, Gordon K, **Gown AM**, Ross R, Bowen-Pope DF, Johnson RJ. Platelet-derived growth factor (PDGF) and PDGF receptor are induced in mesangial proliferative nephritis in the rat. *Proc Natl Acad Sci USA* 88: 6560-6564, 1991.
 78. Johnson RJ, Iida H, Alpers CE, Majesky MW, Schwartz SM, Pritzi P, Gordon K, **Gown AM**. Expression of smooth muscle cell phenotype by rat mesangial cells in immune complex nephritis. Alpha-smooth muscle actin is a marker of mesangial cell proliferation. *J Clin Invest* 87: 847-858, 1991.
 79. Longaker MT, Burd DA, **Gown AM**, Yen TS, Jennings RW, Duncan BW, Harrison MR, Adzick NS. Midgestational excisional fetal lamb wounds contract in utero. *J Pediatr Surg* 26: 942-948, 1991.
 80. Moe RE, Moe KS, Porter P, **Gown AM**, Elli G, Tapper D. Expression of Her-2/neu oncogene protein product and epidermal growth factor receptors in surgical cancers. *Am J Surg* 161: 580-583, 1991.
 81. O'Brien K, Nagano Y, **Gown A**, Kita T, Chait A. Probucol treatment affects the cellular composition but not anti-oxidized low density lipoprotein immunoreactivity of plaques from Watanabe heritable hyperlipidemic rabbits. *Arterioscler Thromb* 11: 751-759, 1991.
 82. Porter PL, Garcia R, Moe R, Corwin DJ, **Gown AM**. C-erbB-2 oncogene protein in situ and invasive lobular breast neoplasia. *Cancer* 68: 331-334, 1991.
 83. Printseva OY, Peclo MM, Tjurmin AV, **Gown AM**. A 90-kDa surface antigen of immature smooth muscle cells is ICAM-1. *Am J Physiol* 261: 21-22, 1991.
 84. Sasahara M, Fries JW, Raines EW, **Gown AM**, Westrum LE, Frosch MP, Bonthron DT, Ross R, Collins T. PDGF B-chain in neurons of the central nervous system, posterior pituitary, and in a transgenic model. *Cell* 64: 217-227, 1991.
 85. Sugimoto T, Ueyama H, Hosoi H, Inazawa J, Kato T, Kemshead JT, Reynolds CP, **Gown AM**, Mine H, Sawada T. Alpha-smooth-muscle actin and desmin expressions in human neuroblastoma cell lines. *Int J Cancer* 48: 277-283, 1991.

86. Zarbo RJ, Bacchi CE, **Gown AM**. Muscle-specific protein expression in normal salivary glands and pleomorphic adenomas: an immunocytochemical study with biochemical confirmation. *Mod Pathol* 4: 621-626, 1991.
87. Alpers CE, Hudkins KL, **Gown AM**, Johnson RJ. Enhanced expression of "muscle-specific" actin in glomerulonephritis. *Kidney Int* 41: 1134-1142, 1992.
88. **Gown AM**. Cell type and cell state specific antibodies in the analysis of early lesions of human atherosclerosis. *Am J Hypertens* 5: 114S-117S, 1992.
89. Arzate H, Olson SW, Page RC, **Gown AM**, Narayanan AS. Production of a monoclonal antibody to an attachment protein derived from human cementum. *FASEB J* 6: 2990-2995, 1992.
90. Bacchi CE, Goldfogel GE, Greer BE, **Gown AM**. Paget's disease and melanoma of the vulva. Use of a panel of monoclonal antibodies to identify cell type and to microscopically define adequacy of surgical margins. *Gynecol Oncol* 46: 216-221, 1992.
91. Blanton RA, Coltrera MD, **Gown AM**, Halbert CL, McDougall JK. Expression of the HPV16 E7 gene generates proliferation in stratified squamous cell cultures which is independent of endogenous p53 levels. *Cell Growth Differ* 3: 791-802, 1992.
92. Bonet B, Brunzell JD, **Gown AM**, Knopp RH. Metabolism of very-low-density lipoprotein triglyceride by human placental cells: the role of lipoprotein lipase. *Metabolism* 41: 596-603, 1992.
93. Coltrera MD, Zarbo RJ, Sakr WA, **Gown AM**. Markers for dysplasia of the upper aerodigestive tract. Suprabasal expression of PCNA, p53, and CK19 in alcohol-fixed, embedded tissue. *Am J Pathol* 141: 817-825, 1992.
94. Kapur RP, Bigler SA, Skelly M, **Gown AM**. Anti-melanoma monoclonal antibody HMB45 identifies an oncofetal glycoconjugate associated with immature melanosomes. *J Histochem Cytochem* 40: 207-212, 1992.
95. Katsuda S, Boyd HC, Fligner C, Ross R, **Gown AM**. Human atherosclerosis. III: Immunocytochemical analysis of the cell composition of lesions of young adults. *Am J Pathol* 140: 907-914, 1992.
96. Ma CK, Zarbo RJ, **Gown AM**. Immunohistochemical characterization of atypical fibroxanthoma and dermatofibrosarcoma protuberans. *Am J Clin Pathol* 97: 478-483, 1992.
97. Merrick DT, Blanton RA, **Gown AM**, McDougall JK. Altered expression of proliferation and differentiation markers in human papillomavirus 16 and 18 immortalized epithelial cells grown in organotypic culture. *Am J Pathol* 140: 167-177, 1992.

98. Porter PL, **Gown AM**, Kramp SG, Coltrera MD. Widespread p53 overexpression in human malignant tumors. An immunohistochemical study using methacarn-fixed, embedded tissue. *Am J Pathol* 140: 145-153, 1992.
99. Printseva OY, Peclo MM, **Gown AM**. Various cell types in human atherosclerotic lesions express ICAM-1. Further immunocytochemical and immunochemical studies employing monoclonal antibody 10F3. *Am J Pathol* 140: 889-896, 1992.
100. Stadius ML, Rowan R, Fleischauer JF, Kernoff R, Billingham M, **Gown AM**. Time course and cellular characteristics of the iliac artery response to acute balloon injury. An angiographic, morphometric, and immunocytochemical analysis in the cholesterol-fed New Zealand white rabbit. *Arterioscler Thromb* 12: 1267-1273, 1992.
101. Sugiyama N, Marcovina S, **Gown AM**, Seftel H, Joffe B, Chait A. Immunohistochemical distribution of lipoprotein epitopes in xanthomata from patients with familial hypercholesterolemia. *Am J Pathol* 141: 99-106, 1992.
102. Tamimi HK, **Gown AM**, Kim-Deobald J, Figge DC, Greer BE, Cain JM. The utility of immunocytochemistry in invasive adenocarcinoma of the cervix. *Am J Obstet Gynecol* 166: 1655-1662, 1992.
103. Watling DL, **Gown AM**, Coltrera MD. Overexpression of p53 in head and neck cancer. *Head Neck* 14: 437-444, 1992.
104. Xu Q, Dietrich H, Steiner HJ, **Gown AM**, Schoel B, Mikuz G, Kaufmann SHE, Wick G. Induction of arteriosclerosis in normocholesterolemic rabbits by immunization with heat shock protein 65. *Arterioscler Thromb* 12: 789-799, 1992.
105. Bacchi CE, **Gown AM**. Detection of cell proliferation in tissue sections. *Braz J Med Biol Res* 26: 677-687, 1993.
106. Coltrera MD, Skelly M, **Gown AM**. Anti-PCNA antibody PC10 yields unreliable proliferation indexes in routinely processed, deparaffinized, formalin fixed tissue. *Appl Immunohistochem* 1: 193-200, 1993.
107. **Gown AM**, de Wever N, Battifora H. Microwave-based antigenic unmasking: a revolutionary new technique for routine immunohistochemistry. *Appl Immunohistochem* 1: 256-266, 1993.
108. Katsuda S, Coltrera MD, Ross R, **Gown AM**. Human atherosclerosis. IV. Immunocytochemical analysis of cell activation and proliferation in lesions of young adults. *Am J Pathol* 142: 1787-1793, 1993.
109. Kuo CC, **Gown AM**, Benditt EP, Grayston JT. Detection of *Chlamydia pneumoniae* in aortic lesions of atherosclerosis by immunocytochemical stain. *Arterioscler Thromb* 13: 1501-1504, 1993.

110. Merrick DT, **Gown AM**, Halbert CL, Blanton RA, McDougall JK. Human papillomavirus-immortalized keratinocytes are resistant to the effects of retinoic acid on terminal differentiation. *Cell Growth Differ* 4: 831-840, 1993.
111. Nakhleh RE, Zarbo RJ, Ewing S, Carey JL, **Gown AM**. Myogenic differentiation in spindle cell (sarcomatoid) carcinomas of the upper aerodigestive tract. *Appl Immunohistochem* 1: 58-68, 1993.
112. Bacchi CE, **Gown AM**, Bacchi MM. Detection of infectious disease agents in tissue by immunocytochemistry. *Braz J Med Biol Res* 27: 2803-2820, 1994.
113. Cameron B, **Gown AM**, Tamimi HK. Expression of c-erb B-2 oncogene product in persistent gestational trophoblastic disease. *Am J Obstet Gynecol* 170: 1616-1621, 1994.
114. Hanke H, Hassenstein S, Ulmer A, Kamenz J, Oberhoff M, Haase KK, Baumbach A, **Gown AM**, Karsch KR. Accumulation of macrophages in the arterial vessel wall following experimental balloon angioplasty. *Eur Heart J* 15: 691-698, 1994.
115. Mikhael AI, Bacchi CE, Zarbo RJ, Ma CK, **Gown AM**. CD34 expression in stromal tumors of the gastrointestinal tract. *Appl Immunohistochem* 2: 89-93, 1994.
116. Otto CM, Kuusisto J, Reichenbach DD, **Gown AM**, O'Brien KD. Characterization of the early lesion of "degenerative" valvular aortic stenosis. Histological and immunohistochemical studies. *Circulation* 90: 844-853, 1994.
117. Palanca-Wessels MCA, **Gown AM**, Wang E, Coltrera MD. Immunocytochemical detection of statin, a nuclear protein of G₀ phase, in human breast cancer tissues: correlation with expression of proliferating cell nuclear antigen and markers of clinical outcome and markers of clinical outcome. *Appl Immunohistochem* 2: 248-253, 1994.
118. Stadius ML, **Gown AM**, Kernoff R, Collins CL. Cell proliferation after balloon injury of iliac arteries in the cholesterol-fed New Zealand White rabbit. *Arterioscler Thromb* 14: 727-733, 1994.
119. Tse DB, Anderson P, Goldbard S, **Gown AM**, Hawes CS, Donnenfeld A. Characterization of trophoblast-reactive monoclonal antibodies by flow cytometry and their application for fetal cell isolation. *Ann NY Acad Sci* 731: 162-169, 1994.
120. Wang J, Coltrera MD, **Gown AM**. Cell proliferation in human soft tissue tumors correlates with platelet-derived growth factor B chain expression: an immunohistochemical and in situ hybridization study. *Cancer Res* 54: 560-564, 1994.
121. Wang J, Wang S, Lu Y, Weng Y, **Gown AM**. GM-CSF and M-CSF expression is associated with macrophage proliferation in progressing and regressing rabbit atheromatous lesions. *Exp Mol Pathol* 61: 109-118, 1994.

122. Wood BL, Bacchi MM, Bacchi CE, Kidd P, **Gown AM**. Immunocytochemical differentiation of reactive hyperplasia from follicular lymphoma using monoclonal antibodies to cell surface and proliferation-related markers. *Appl Immunohistochem* 2: 48-53, 1994.
123. Lernmark A, Klöppel G, Stenger D, Vathanaprida C, Fält K, Landin-Olsson M, Baskin DG, Palmer JP, **Gown AM**, Petersen JS, Li L, Edenvall H, Mauseth RS. Heterogeneity of islet pathology in two infants with recent onset diabetes mellitus. *Virchows Arch* 425: 631-640, 1995.
124. Satow SJ, Zee S, Dawson KH, **Gown AM**, Oda D, Worthington P. Juvenile xanthogranuloma of the tongue. *J Am Acad Dermatol* 33: 376-379, 1995.
125. Bacchi CE, Zarbo RJ, Jiang JJ, **Gown AM**. Do glioma cells express cytokeratin? *Appl Immunohistochem* 3: 45-53, 1995.
126. Battifora H, Alsabeh R, Jenkins KA, **Gown AM**. Epitope retrieval (unmasking) in immunohistochemistry. *Adv Pathol Lab Med* 8: 101-118, 1995.
127. Bonet B, Chait A, **Gown AM**, Knopp RH. Metabolism of modified LDL by cultured human placental cells. *Atherosclerosis* 112: 125-136, 1995.
128. Castronuovo JJ, Guss SB, Mysh D, Sawhney A, Wolff M, **Gown AM**. Cytokine therapy for arterial restenosis: inhibition of neointimal hyperplasia by gamma-interferon. *Cardiovasc Surg* 3: 463-468, 1995.
129. Clark EA, Grabstein KH, **Gown AM**, Skelly M, Kaisho T, Hirano T, Shu GL. Activation of B lymphocyte maturation by a human follicular dendritic cell line, FDC-1. *J Immunol* 155: 545-555, 1995.
130. Coltrera MD, Wang J, Porter PL, **Gown AM**. Expression of platelet-derived growth factor B-chain and the platelet derived growth factor receptor beta subunit in human breast tissue and breast carcinoma. *Cancer Res* 55: 2703-2708, 1995.
131. Gelsleichter L, **Gown AM**, Zarbo RJ, Wang E, Coltrera MD. p53 and mdm-2 expression in malignant melanoma: an immunocytochemical study of expression of p53, mdm-2, and markers of cell proliferation in primary versus metastatic tumors. *Mod Pathol* 8: 530-535, 1995.
132. **Gown AM**. From ^3H to H3: Slide based analyses of the cell cycle. *Acta Histochem* 28: 55-59, 1995.
133. Gretch DR, Bacchi CE, Corey L, dela Rosa C, Lesniewski RR, Kowdley K, **Gown A**, Frank I, Perkins JD, Carithers RL. Persistent hepatitis C virus infection after liver transplantation: clinical and virologic features. *Hepatology* 22: 1-9, 1995.

134. Hoyt J, **Gown AM**, Kim DK, Berger MS. Analysis of proliferative grade in glial neoplasms using antibodies to the Ki-67 defined antigen and PCNA in formalin fixed, deparaffinized tissues. *J Neurooncol* 24: 163-169, 1995.
135. Kay MA, Holterman AX, Meuse L, **Gown A**, Ochs HD, Linsley PS, Wilson CB. Long-term hepatic adenovirus-mediated gene expression in mice following CTLA4Ig administration. *Nat Genet* 11: 191-197, 1995.
136. Lieber A, Peeters MJ, **Gown A**, Perkins J, Kay MA. A modified urokinase plasminogen activator induces liver regeneration without bleeding. *Hum Gene Ther* 6: 1029-1037, 1995.
137. Porter PL, Sage EH, Lane TF, Funk SE, **Gown AM**. Distribution of SPARC in normal and neoplastic human tissue. *J Histochem Cytochem* 43: 791-800, 1995.
138. Wang J, Coltrera MD, **Gown AM**. Abnormalities of p53 and p110RB tumor suppressor gene expression in human soft tissue tumors: Correlations with cell proliferation and tumor grade. *Mod Pathol* 8: 837-842, 1995.
139. Wang NP, Marx J, McNutt MA, Rutledge JC, **Gown AM**. Expression of myogenic regulatory proteins (myogenin and MyoD1) in small blue round cell tumors of childhood. *Am J Pathol* 147: 1799-1810, 1995.
140. Wang NP, Zee S, Zarbo RJ, Bacchi CE, **Gown AM**. Coordinate expression of cytokeratins 7 and 20 defines unique subsets of carcinomas. *Appl Immunohistochem* 3: 99-107, 1995.
141. Bacchi CE, Bacchi MM, Rabenhorst SH, Soares FA, Foneseca LE, Barbosa HS, Weiss LM, **Gown AM**. AIDS-related lymphoma in Brazil. Histopathology, immunophenotype, and association with Epstein-Barr virus. *Am J Clin Pathol* 105: 230-237, 1996.
142. Bacchi CE, Bonetti F, Pea M, Martignoni G, **Gown AM**. HMB-45: A review. *Appl Immunohistochem* 4: 73-85, 1996.
143. Goff BA, Shy K, Greer BE, Muntz HG, Skelly M, **Gown AM**. Overexpression and relationships of HER-2/neu, epidermal growth factor receptor, p53, Ki-67, and tumor necrosis factor alpha in epithelial ovarian cancer. *Eur J Gynaecol Oncol* 17: 487-492, 1996.
144. **Gown AM**, Jiang JJ, Matles H, Skelly M, Goodpaster T, Cass L, Reshatof M, Spaulding D, Coltrera MD. Validation of the S-phase specificity of histone (H3) in situ hybridization in normal and malignant cells. *J Histochem Cytochem* 44: 221-226, 1996.

145. Lehr H-A, Hansen KD, Coltrera MD, Russ JC, **Gown AM**. Photoshop-based image analysis for the semiautomated assessment of Ki-67-defined proliferative activity in the routine diagnosis of breast cancer. *Appl Immunohistochem* 4: 117-127, 1996.
146. Lehr H-A, Kussick S, Wang N-P, **Gown AM**. Tumor of the tunica vaginalis testis. *Appl Immunohistochem* 4: 276-279, 1996.
147. Lin BT, Colby T, **Gown AM**, Hammar SP, Mertens RB, Churg A, Battifora H. Malignant vascular tumors of the serous membranes mimicking mesothelioma. A report of 14 cases. *Am J Surg Pathol* 20: 1431-1439, 1996.
148. Martin GM, Ogburn CE, Colgin LM, **Gown AM**, Edland SD, Monnat RJ. Somatic mutations are frequent and increase with age in human kidney epithelial cells. *Hum Molec Genet* 5: 215-221, 1996.
149. Savera AT, Torres FX, Linden MD, Bacchi CE, **Gown AM**, Zarbo RJ. Primary versus metastatic pulmonary adenocarcinoma: an immunohistochemical study using villin and cytokeratins 7 and 20. *Appl Immunohistochem* 4: 86-94, 1996.
150. Skelly M, Coltrera MD, **Gown AM**. Immunohistochemical analysis of p110^{RB} expression in human cells and tissues: a reappraisal and critical review of the literature. *Appl Immunohistochem* 4: 16-24, 1996.
151. Stadius ML, **Gown AM**, Kernoff R, Schwartz SM. Does sequential balloon injury of an artery lead to a different outcome than a single injury? An experimental study of angioplasty. *Coron Artery Dis* 7: 247-255, 1996.
152. Swisher EM, **Gown AM**, Skelly M, Ek M, Tamimi HT, Cain JM, Greer BE, Muntz HG, Goff BA. The expression of epidermal growth factor receptor, HER-2/Neu, p53, and Ki-67 antigen in uterine malignant mixed mesodermal tumors and adenosarcoma. *Gynecol Oncol* 60: 81-88, 1996.
153. Wang NP, Bacchi CE, Jiang JJ, McNutt MA, **Gown AM**. Does alveolar soft part sarcoma exhibit skeletal muscle differentiation? An immunocytochemical and biochemical study of myogenic regulatory protein expression. *Mod Pathol* 9: 496-506, 1996.
154. Aboulafia D, **Gown AM**, Kidd P. AIDS-associated B-cell non-Hodgkin's lymphoma masquerading as a cutaneous T-cell neoplasm: An aberrant immunophenotype requiring comprehensive analysis for lineage resolution. *Am J Dermatopathol* 19: 66-72, 1997.
155. Bacchi CE, Garcia RL, **Gown AM**. Immunolocalization of estrogen and progesterone receptors in neuroendocrine tumors of the lung, skin, gastrointestinal and female genital tracts. *Appl Immunohistochem* 5: 17-22, 1997.
156. Folpe AL, Patterson K, **Gown AM**. Antibodies to desmin identify the blastemal component of nephroblastoma. *Mod Pathol* 10: 895-900, 1997.

157. Folpe AL, Patterson K, **Gown AM**. Antineuroblastoma antibody NB84 also identifies a significant subset of other small blue round cell tumors. *Appl Immunohistochem* 5: 239-245, 1997.
158. Kay MA, Meuse L, **Gown AM**, Linsely P, Hollenbaugh D, Aruffo A, Ochs HD, Wilson CB. Transient immunomodulation with anti-CD40 ligand antibody and CTLA4Ig enhances persistence and secondary adenovirus-mediated gene transfer into mouse liver. *Proc Natl Acad Sci USA* 94: 4686-4691, 1997.
159. Lagunoff D, **Gown AM**. Earl Phillip Benditt. *J Histochem Cytochem* 45: 1049-1050, 1997.
160. Lehr HA, Mankoff DA, Corwin D, Santeusano G, **Gown AM**. Application of photoshop-based image analysis to quantification of hormone receptor expression in breast cancer. *J Histochem Cytochem* 45: 1559-1565, 1997.
161. Lehr HA, Skelly M, Buhler K, Anderson B, Delisser HM, **Gown AM**. Microvascular endothelium of human tumor xenografts expresses mouse (= host) CD31. *Int J Microcirc Clin Exp* 17: 138-142, 1997.
162. Santeusano G, D'Alfonso V, Iafrate E, Colantoni A, Liberati F, Giusto SL, **Gown AM**. Antibodies to cytokeratin 14 specifically identify oncocytes (Hurthle cells) in thyroid lesions and tumors. *Appl Immunohistochem* 5: 223-228, 1997.
163. Savera AT, **Gown AM**, Zarbo RJ. Immunolocalization of three novel smooth muscle-specific proteins in salivary gland pleomorphic adenoma: assessment of the morphogenetic role of myoepithelium. *Mod Pathol* 10: 1093-1100, 1997.
164. Snyder RO, Miao CH, Patijn GA, Spratt SK, Danos O, Nagy D, **Gown AM**, Winther B, Meuse L, Cohen LK, Thompson AR, Kay MA. Persistent and therapeutic concentrations of human factor IX in mice after hepatic gene transfer of recombinant AAV vectors. *Nat Genet* 16: 270-276, 1997.
165. Wang NP, Wan BC, Skelly M, Frid MG, Glukhova MA, Koteliansky VE, **Gown AM**. Antibodies to novel myoepithelium-associated proteins distinguish benign lesions and carcinoma in-situ from invasive carcinoma of the breast. *Appl Immunohistochem* 5: 141-151, 1997.
166. Cohn CE, Folpe AL, **Gown AM**, Goff BA. Mesothelial pelvic lymph node inclusions mimicking metastatic thyroid carcinoma. *Gynecol Oncol* 68: 210-213, 1998.
167. Folpe AL, Schmidt RA, Chapman D, **Gown AM**. Poorly differentiated synovial sarcoma: immunohistochemical distinction from primitive neuroectodermal tumors and high-grade malignant peripheral nerve sheath tumors. *Am J Surg Pathol* 22: 673-682, 1998.

168. Folpe AL, Weiss SW, Fletcher CDM, **Gown AM**. Tenosynovial giant cell tumors: evidence for a desmin-positive dendritic cell subpopulation. *Mod Pathol* 11: 939-944, 1998.
169. Folpe AL, Wirganowicz PZ, O'Donnell RJ, **Gown AM**. Myofibroblastic tumour of bone with abundant intra- and extracellular actin: report of a unique tumour, with immunohistochemical and ultrastructural characterization. *Histopathology* 33: 490-492, 1998.
170. Goff BA, Muntz HG, Greer BE, Tamimi HK, **Gown AM**. Oncogene expression: long-term compared with short term survival in patients with advanced epithelial ovarian cancer. *Obstet Gynecol* 92: 88-93, 1998.
171. Goff BA, Ries JA, Els LP, Coltrera MD, **Gown AM**. Immunophenotype of ovarian cancer as predictor of clinical outcome: evaluation at primary surgery and second-look procedure. *Gynecol Oncol* 70: 378-385, 1998.
172. Hwang HC, Mills SE, Patterson K, **Gown AM**. Expression of androgen receptors in nasopharyngeal angiofibroma: an immunohistochemical study of 24 cases. *Mod Pathol* 11: 1122-1126, 1998.
173. Altman GB, **Gown AM**, Luchtel DL, Baker C. RANTES production by cultured primate endometrial epithelial cells. *Am J Reprod Immunol*: 42: 168-174, 1999.
174. Coltrera MD, Mathison SM, Goodpaster TA, **Gown AM**. Abnormal expression of the cystic fibrosis transmembrane regulator in chronic sinusitis in cystic fibrosis and non-cystic fibrosis patients. *Ann Otol Rhinol Laryngol* 108: 576-581, 1999.
175. Dabbs DJ, **Gown AM**. Distribution of calponin and smooth muscle myosin heavy chain in fine-needle aspiration biopsies of the breast. *Diagn Cytopathol* 20: 203-207, 1999.
176. Damiani S, Ludvikova M, Tomasic G, Bianchi S, **Gown AM**, Eusebi V. Myoepithelial cells and basal lamina in poorly differentiated in situ duct carcinoma of the breast. An immunocytochemical study. *Virchows Arch* 434: 227-234, 1999.
177. Davis AR, Miller L, Tamimi H, **Gown AM**. Methotrexate compared with mercaptopurine for early induced abortion. *Obstet Gynecol* 93: 904-909, 1999.
178. Folpe AL, **Gown AM**, Lamps LW, Garcia R, Dail DH, Zarbo RJ, Schmidt RA. Thyroid transcription factor-1: immunohistochemical evaluation in pulmonary neuroendocrine tumors. *Mod Pathol* 12: 5-8, 1999.
179. **Gown AM**. Uses of antibody panels in the analysis of metastatic carcinomas of unknown primary. *Acta Histochem Cytochem* 32: 153-159, 1999.

180. **Gown AM.** Immunohistochemical determination of primary sites of carcinoma. *J Histotechnol* 22: 209-215, 1999.
181. **Gown AM,** Yaziji H. Immunohistochemical analysis of carcinomas of unknown primary site. *Pathology Case Reviews* 4: 250-259, 1999.
182. **Gown AM,** Yaziji H, Battifora H. Correspondence re: Varma M., Linden M.D., Amin M.B. Effect of formalin fixation and epitope retrieval techniques on antibody 34bE12 immunostaining of prostatic tissues. *Mod Pathol* 12: 472-478, 1999.
183. Jacobs TW, **Gown AM,** Yaziji H, Barnes MJ, Schnitt SJ. Comparison of fluorescence in situ hybridization and immunohistochemistry for the evaluation of HER-2/neu in breast cancer. *J Clin Oncol* 17: 1974-1982. 1999.
184. Jacobs TW, **Gown AM,** Yaziji H, Barnes MJ, Schnitt SJ. Specificity of HercepTest™ in determining HER-2/neu status of breast cancers using the United States Food and Drug Administration-approved scoring system. *J Clin Oncol* 17: 1983-1987, 1999.
185. Lehr HA, Hansen DA, Kussick S, Li M, Hwang H, Krummenauer F, Trouet S, **Gown AM.** Assessment of proliferative activity in breast cancer: MIB-1 immunohistochemistry versus mitotic figure count. *Hum Pathol* 30: 1314-1320, 1999.
186. Lehr HA, van der Loos CM, Teeling P, **Gown AM.** Complete chromogen separation and analysis in double immunohistochemical stains using Photoshop-based image analysis. *J Histochem Cytochem* 47: 119-226, 1999.
187. Prasad AR, Savera AT, **Gown AM,** Zarbo RJ. The myoepithelial immunophenotype in 135 benign and malignant salivary gland tumors other than pleomorphic adenoma. *Arch Pathol Lab Med* 123: 801-806, 1999.
188. Wang K, Gan L, Jeffery E, Gayle M, **Gown AM,** Skelly M, Nelson PS, Ng WV, Schummer M, Hood L, Mulligan J. Monitoring gene expression profile changes in ovarian carcinomas using cDNA microarray. *Gene* 229: 101-108, 1999.
189. Yaziji H, **Gown AM,** Sneige N. Detection of stromal invasion in breast cancer: the myoepithelial markers. *Adv Anat Pathol* 7: 100-109, 2000.
190. Foschini MP, Scarpellini F, **Gown AM,** Eusebi V. Differential expression of myoepithelial markers in salivary, sweat and mammary glands. *Int J Surg Pathol* 8: 29-37, 2000.
191. Jacobs TW, **Gown AM,** Yaziji H, Barnes MJ, Schnitt SJ. Her-2/neu protein expression in breast cancer evaluated by immunohistochemistry. A study of interlaboratory agreement. *Am J Clin Pathol* 113: 251-258, 2000.

192. Lehr HA, Folpe A, Yaziji H, Kommoss F, **Gown AM**. Cytokeratin 8 immunostaining pattern and E-cadherin expression distinguish lobular from ductal breast carcinoma. *Am J Clin Pathol* 114: 190-196, 2000.
193. Macak J, **Gown AM**, Krc I, Duskova M, Kucerova L, Jezdinska V. Malignant gastric lymphomas. *Ces a Slov Gastroent* 54: 3-8, 2000.
194. Mazar AP, Gawlak S, Goldfarb RH, Kitson RP, **Gown AM**, Rabbani SA, **Gown AM**, Jones TR. The urokinase plasminogen activator receptor (uPAR) is a chokepoint for carcinoma metastasis and angiogenesis. *Recent Res Develop Cancer* 2: 1-12, 2000.
195. Mishima K, Mazar AP, **Gown A**, Skelly M, Ji XD, Wang XD, Jones TR, Cavenee WK, Huang HJ. A peptide derived from the non-receptor-binding region of urokinase plasminogen activator inhibits glioblastoma growth and angiogenesis in vivo in combination with cisplatin. *Proc Natl Acad Sci USA* 97: 8484-8489, 2000.
196. Paley PJ, Goff BA, **Gown AM**, Greer BE, Sage EH. Alterations in SPARC and VEGF immunoreactivity in epithelial ovarian cancer. *Gynecol Oncol* 78: 336-341, 2000.
197. Zarbo RJ, Prasad AR, Regezi JA, **Gown AM**, Savera AT. Salivary gland basal cell and canalicular adenomas: immunohistochemical demonstration of myoepithelial cell participation and morphogenetic considerations. *Arch Pathol Lab Med* 124: 401-405, 2000.
198. **Gown AM**. The 2000 Long Course. Introduction. *Mod Pathol* 14: 211-212, 2001.
199. **Gown AM**, Asa SL. The 2000 Long Course. Conclusion. *Mod Pathol* 14: 261-262, 2001.
200. Yaziji H, **Gown AM**. Immunohistochemical analysis of gynecologic tumors. *Int J Gynecol Pathol* 20: 64-78, 2001.
201. Agoff SN, Grieco VS, Garcia R, **Gown AM**. Immunohistochemical distinction of endometrial stromal sarcoma and cellular leiomyoma. *Appl Immunohistochem Mol Morphol* 9: 164-169, 2001.
202. Dawson TM, Starkebaum G, Wood BL, Willkens RF, **Gown AM**. Epstein-Barr virus, methotrexate, and lymphoma in patients with rheumatoid arthritis and primary Sjogren's syndrome: case series. *J Rheumatol* 28: 47-53, 2001.
203. Goff BA, Paley PJ, Greer BE, **Gown AM**. Evaluation of chemoresistance markers in women with epithelial ovarian carcinoma. *Gynecol Oncol* 81: 18-24, 2001.
204. Goldstein NS, Bassi D, Watts JC, Layfield LJ, Yaziji H, **Gown AM**. E-cadherin reactivity of 95 noninvasive ductal and lobular lesions of the breast. Implications for the interpretation of problematic lesions. *Am J Clin Pathol* 115: 534-542, 2001.

205. Lehr HA, Jacobs TW, Yaziji H, Schnitt SJ, **Gown AM**. Quantitative evaluation of HER-2/neu status in breast cancer by fluorescence in situ hybridization and by immunohistochemistry with image analysis. *Am J Clin Pathol* 115: 814-822, 2001.
206. Sneige N, Yaziji H, Mandavilli SR, Perez ER, Ordonez NG, **Gown AM**, Ayala A. Low-grade (fibromatosis-like) spindle cell carcinoma of the breast. *Am J Surg Pathol* 25: 1009-1016, 2001.
207. Stone CH, Lee MW, Amin MB, Yaziji H, **Gown AM**, Ro JY, Tetu B, Paraf F, Zarbo RJ. Renal angiomyolipoma: further immunophenotypic characterization of an expanding morphologic spectrum. *Arch Pathol Lab Med* 125: 751-758, 2001.
208. Yaziji H, **Gown AM**. Testing for HER-2/neu in breast cancer: is fluorescence in situ hybridization superior in predicting outcome? *Adv Anat Pathol* 9: 338-344, 2002.
209. Beach R, **Gown AM**, De Peralta-Venturina MN, Folpe AL, Yaziji H, Salles PG, Grignon DJ, Fanger GR, Amin MB. P504S immunohistochemical detection in 405 prostatic specimens including 376 18-gauge needle biopsies. *Am J Surg Pathol* 26: 1588-1596, 2002.
210. **Gown AM**. Genogenic immunohistochemistry: a new era in diagnostic immunohistochemistry. *Current Diagnostic Pathology* 8: 193-200, 2002.
211. **Gown AM**, Willingham MC. Improved detection of apoptotic cells in archival paraffin sections: Immunohistochemistry using antibodies to cleaved caspase 3. *J Histochem Cytochem* 50: 449-454, 2002.
212. Neff T, Horn PA, Valli VE, **Gown AM**, Wardwell S, Wood BL, von Kalle C, Schmidt M, Peterson LJ, Morris JC, Richard RE, Clackson T, Kiem HP, Blau CA. Pharmacologically regulated in vivo selection in a large animal. *Blood* 100: 2026-2031, 2002.
213. Yaziji H, **Gown AM**. Controversies and guidelines in tissue-based HER-2/neu testing in breast cancer. *MLO Med Lab Obs* 34: 12-16, 20-21, 2002.
214. Yaziji H, **Gown AM**. Immunohistochemical markers of melanocytic tumors. *Int J Surg Pathol* 11: 11-15, 2003.
215. Imanishi T, Han DK, Hofstra L, Hano T, Nishio I, Liles WC, **Gown AM**, Schwartz SM, Han DK, Gorden AM. Apoptosis of vascular smooth muscle cells is induced by Fas ligand derived from monocytes/macrophage. *Atherosclerosis* 161: 143-151, 2002. Erratum in: *Atherosclerosis* 167: 175, 2003.
216. Mongiat M, Fu J, Oldershaw R, Greenhalgh R, **Gown AM**, Iozzo RV. Perlecan protein core interacts with extracellular matrix protein 1 (ECM1), a glycoprotein involved in bone formation and angiogenesis. *J Biol Chem* 278: 17491-17499, 2003.

217. Werling RW, Hwang H, Yaziji H, **Gown AM**. Immunohistochemical distinction of invasive from noninvasive breast lesions: A comparative study of p63 versus calponin and smooth muscle myosin heavy chain. *Am J Surg Pathol* 27: 82-90, 2003.
218. Werling RW, Yaziji H, Bacchi CE, **Gown AM**. CDX2, a highly sensitive and specific marker of adenocarcinomas of intestinal origin: an immunohistochemical survey of 476 primary and metastatic carcinomas. *Am J Surg Pathol* 27: 303-310, 2003.
219. Au NH, **Gown AM**, Cheang M, Huntsman D, Yorida E, Elliott WM, Flint J, English J, Gilks CB, Grimes HL. P63 expression in lung carcinoma: a tissue microarray study of 408 cases. *Appl Immunohistochem Mol Morphol* 12: 240-247, 2004.
220. **Gown AM**. Unmasking the mysteries of antigen or epitope retrieval and formalin fixation. *Am J Clin Pathol* 121: 172-174, 2004.
221. Hwang H, Quenneville L, Yaziji H, **Gown AM**. Wilms tumor gene product: sensitive and contextually specific marker of serous carcinomas of ovarian surface epithelial origin. *Appl Immunohistochem Mol Morphol* 12: 122-126, 2004.
222. Lin BT, **Gown AM**. Mixed carcinoid and adenocarcinoma of the appendix: Report of 4 cases with immunohistochemical studies and a review of the literature. *Appl Immunohistochem Mol Morphol* 12: 271-276, 2004.
223. Nielsen TO, Hsu FD, Jensen K, Cheang M, Karaca G, Hu Z, Hernandez-Boussard T, Livasy C, Cowan D, Dressler L, Akslen LA, Ragaz J, **Gown AM**, Gilks CB, van de Rijn M, Perou CM. Immunohistochemical and clinical characterization of the basal-like subtype of invasive breast carcinoma. *Clin Cancer Res* 10: 5367-5374, 2004.
224. Yaziji H, Goldstein LC, Barry TS, Werling R, Hwang H, Ellis GK, Gralow JR, Livingston RB, **Gown AM**. HER-2 testing in breast cancer using parallel tissue-based methods. *JAMA* 291: 1972-1977, 2004.
225. Yaziji H, **Gown AM**. Accuracy and precision in HER2/neu testing in breast cancer: are we there yet? *Hum Pathol* 35: 143-146, 2004.
226. Choo JJ, Scudiere J, Bitterman P, Dickler A, **Gown AM**, Zusag TW. Vaginal lymphatic channel location and its implication for intracavitary brachytherapy radiation treatment. *Brachytherapy* 4: 236-240, 2005.
227. Ng TL, **Gown AM**, Barry TS, Cheang MC, Chan AK, Turbin DA, Hsu FD, West RB, Nielsen TO. Nuclear beta-catenin in mesenchymal tumors. *Mod Pathol* 18: 68-74, 2005.
228. Terry J, Barry TS, Horsman DF, Hsu FD, **Gown AM**, Huntsman DG, Nielsen TO. Fluorescence in situ hybridization for the detection of t(X;18)(p11.2;q11.2) in a synovial sarcoma tissue microarray using a breakapart-style probe. *Diagn Mol Pathol* 14: 77-82, 2005.

229. Cheang MC, Treaba DO, Speers CH, Olivotto IA, Bajdik CD, Chia SK, Goldstein LC, Gelmon KA, Huntsman D, Gilks CB, Nielsen TO, **Gown AM**. Immunohistochemical detection using the new rabbit monoclonal antibody SP1 of estrogen receptor in breast cancer is superior to mouse monoclonal antibody 1D5 in predicting survival. *J Clin Oncol* 24: 5637-5644, 2006.
230. Collins LC, Carlo VP, Hwang H, Barry TS, **Gown AM**, Schnitt SJ. Intracystic papillary carcinomas of the breast: A reevaluation using a panel of myoepithelial cell markers. *Am J Surg Pathol* 30: 1002-1007, 2006.
231. Mohanna S, Maco V, **Gown A**, Morales D, Bravo F, Gotuzzo E. Is classic Kaposi's sarcoma endemic in Peru?: Report of a case in an indigenous patient. *Am J Trop Med Hyg* 75: 324-326, 2006.
232. Vang R, **Gown AM**, Barry TS, Wheeler DT, Ronnett BM. Ovarian atypical proliferative (borderline) mucinous tumors: gastrointestinal and seromucinous (endocervical-like) types are immunophenotypically distinctive. *Int J Gynecol Pathol* 25: 83-89, 2006.
233. Vang R, **Gown AM**, Barry TS, Wheeler DT, Ronnett BM. Immunohistochemistry for estrogen and progesterone receptors in the distinction of primary and metastatic mucinous tumors in the ovary: an analysis of 124 cases. *Mod Pathol* 19: 97-105, 2006.
234. Vang R, **Gown AM**, Barry TS, Wheeler DT, Yemelyanova A, Seidman JD, Ronnett BM. Cytokeratins 7 and 20 in primary and secondary mucinous tumors of the ovary: analysis of coordinate immunohistochemical expression profiles and staining distribution in 179 cases. *Am J Surg Pathol* 30: 1130-1139, 2006.
235. Vang R, **Gown AM**, Wu LS, Barry TS, Wheeler DT, Yemelyanova A, Seidman JD, Ronnett BM. Immunohistochemical expression of CDX2 in primary ovarian mucinous tumors and metastatic mucinous carcinomas involving the ovary: comparison with CK20 and correlation with coordinate expression of CK7. *Mod Pathol* 19: 1421-1428, 2006.
236. Yaziji H, Battifora H, Barry TS, Hwang HC, Bacchi CE, McIntosh MW, Kussick SJ, **Gown AM**. Evaluation of 12 antibodies for distinguishing epithelioid mesothelioma from adenocarcinoma: identification of a three-antibody immunohistochemical panel with maximal sensitivity and specificity. *Mod Pathol* 19: 514-523, 2006.
237. Cimbaluk D, Rotmensch J, Scudiere J, **Gown A**, Bitterman P. Uterine carcinosarcoma: Immunohistochemical studies on tissue microarrays with focus on potential therapeutic targets. *Gynecol Oncol* 105: 138-144, 2007.
238. Farinola MA, **Gown AM**, Judson K, Ronnett BM, Barry TS, Movahedi-Lankarani S, Vang R. Estrogen receptor-alpha and progesterone receptor expression in ovarian adult granulosa cell tumors and Sertoli-Leydig cell tumors. *Int J Gynecol Pathol* 26: 375-382, 2007.

239. Ionescu DN, Treaba D, Gilks CB, Leung S, Renouf D, Laskin J, Wood-Baker R, **Gown AM**. Nonsmall cell lung carcinoma with neuroendocrine differentiation – an entity of no clinical or prognostic significance. *Am J Surg Pathol* 31: 26-32, 2007.
240. Kakar S, **Gown AM**, Goodman ZD, Ferrell LD. Best practices in diagnostic immunohistochemistry: hepatocellular carcinoma versus metastatic neoplasms. *Arch Pathol Lab Med* 131: 1648-1654, 2007.
241. Vang R, **Gown AM**, Farinola M, Barry TS, Wheeler DT, Yemelyanova A, Seidman JD, Judson K, Ronnett BM. p16 expression in primary ovarian mucinous and endometrioid tumors and metastatic adenocarcinomas in the ovary: Utility for identification of metastatic HPV-related endocervical adenocarcinomas. *Am J Surg Pathol* 31: 653-663, 2007.
242. Vang R, **Gown AM**, Zhao C, Barry TS, Isacson C, Richardson MS, Ronnett BM. Ovarian mucinous tumors associated with mature cystic teratomas: morphologic and immunohistochemical analysis identifies a subset of potential teratomatous origin that shares features of lower gastrointestinal tract mucinous tumors more commonly encountered as secondary tumors in the ovary. *Am J Surg Pathol* 31: 854-869, 2007.
243. Wiseman SM, Griffith OL, Deen S, Rajput A, Masoudi H, Gilks B, Goldstein L, Gown A, Jones SJ. Identification of molecular markers altered during transformation of differentiated into anaplastic thyroid carcinoma. *Arch Surg* 142: 717-729, 2007.
244. Bahrami A, **Gown AM**, Baird GS, Hicks MJ, Folpe AL. Aberrant expression of epithelial and neuroendocrine markers in alveolar rhabdomyosarcoma: a potentially serious diagnostic pitfall. *Mod Pathol* 21: 795-806, 2008.
245. Chia S, Norris B, Speers C, Cheang M, Gilks B, **Gown AM**, Huntsman D, Olivotto IA, Nielsen TO, Gelmon K. Human epidermal growth factor receptor 2 overexpression as a prognostic factor in a large tissue microarray series of node-negative breast cancers. *J Clin Oncol* 26: 5697-5704, 2008.
246. **Gown AM**. Current issues in ER and HER2 testing by IHC in breast cancer. *Mod Pathol* 21 (S2): S8-S15, 2008.
247. **Gown AM**, Goldstein LC, Barry TS, Kussick SJ, Kandalaft PL, Kim PM, Tse CC. High concordance between immunohistochemistry and fluorescence in situ hybridization testing for HER2 status in breast cancer requires a normalized IHC scoring system. *Mod Pathol* 21: 1271-1277, 2008.
248. Griffith OL, Chiu CG, **Gown AM**, Jones SJ, Wiseman SM. Biomarker panel diagnosis of thyroid cancer: a critical review. *Expert Rev Anticancer Ther* 8: 1399-1413, 2008.

249. Haines GK 3rd, Wiley E, Susnik B, Apple SK, Frkovic-Grazio S, Reyes C, Goldstein LC, Dadmanesh F, **Gown AM**, Nadji M, Bracko M, Tavassoli FA. HER2 in well differentiated breast cancer: is testing necessary? *Breast Cancer Res Treat* 112: 551-556, 2008.
250. Turbin DA, Leung S, Cheang MC, Kennecke HA, Montgomery KD, McKinney S, Treaba DO, Boyd N, Goldstein LC, Badve S, **Gown AM**, van de Rijn M, Nielsen TO, Gilks CB, Huntsman DG. Automated quantitative analysis of estrogen receptor expression in breast carcinoma does not differ from expert pathologist scoring: a tissue microarray study of 3,484 cases. *Breast Cancer Res Treat* 110: 417-426, 2008.
251. Van Aarsen LA, Leone DR, Ho S, Dolinski BM, McCoon PE, LePage DJ, Kelly R, Heaney G, Rayhorn P, Reid C, Simon KJ, Horan GS, Tao N, Gardner HA, Skelly MM, **Gown AM**, Thomas GJ, Weinreb PH, Fawell SE, Violette SM. Antibody-mediated blockade of integrin alpha v beta 6 inhibits tumor progression in vivo by a transforming growth factor- β -regulated mechanism. *Cancer Res* 68: 561-570, 2008.
252. Wiseman SM, Melck A, Masoudi H, Ghaidi F, Goldstein L, Gown A, Jones SJ, Griffith OL. Molecular phenotyping of thyroid tumors identifies a marker panel for differentiated thyroid cancer diagnosis. *Ann Surg Oncol* 15: 2811-2826, 2008.
253. Gown AM, Goldstein LC, Barry TS, Kussick SJ, Kandalaft PL, Kim PM, Tse CC. High concordance between immunohistochemistry and fluorescence in situ hybridization testing for HER2 status in breast cancer requires a normalized IHC scoring system. *Mod Pathol* 21: 1271-1277, 2008.
254. Deen S, Griffith OL, Masoudi H, **Gown A**, Jones SJ, Wiseman SM. Anaplastic thyroid carcinoma exhibits intratumoral molecular homogeneity for a therapeutic target panel. *Anticancer Res* 29: 2437-2444, 2009.
255. Fleming JN, Shulman HM, Nash RA, Johnson PY, Wight TN, **Gown A**, Schwartz SM. Cutaneous chronic graft-versus-host disease does not have the abnormal endothelial phenotype or vascular rarefaction characteristic of systemic sclerosis. *PLoS One* 4: e6203, 2009.
256. Husain AN, Colby TV, Ordóñez NG, Krausz T, Borczuk A, Cagle PT, Chirieac LR, Churg A, Galateau-Salle F, Gibbs AR, **Gown AM**, Hammar SP, Litzky LA, Roggli VL, Travis WD, Wick MR. Guidelines for pathologic diagnosis of malignant mesothelioma. A consensus statement from the International Mesothelioma Interest Group. *Arch Pathol Lab Med* 133: 1317-1331, 2009.
257. Osamura RY, **Gown AM**. Personalized medicine - Molecular targeted cancer therapy. *J Cell Mol Med* 17: 363-365, 2009.
258. Terry J, Torlakovic EE, Garratt J, Miller D, Köebel M, Cooper J, Bahzad S, Pilavdzic D, O'Malley F, O'Brien AE, Sengupta S, Alport E, Têtu B, Knight B, Pettigrew NM, Berendt

- R, Wolber R, Trotter MJ, Riddell RH, Gaboury L, Elms F, Magliocco A, Barnes P, **Gown AM**, Gilks CB. Implementation of a Canadian external quality assurance program for breast cancer biomarkers: An initiative of Canadian quality control in immunohistochemistry (cIQc) and Canadian Association of Pathologists (CAP) National Standards Committee/ Immunohistochemistry. *Appl Immunohistochem Mol Morphol* 17: 375-382, 2009.
259. Tubbs R, Barlow WE, Budd GT, Swain E, Porter P, **Gown A**, Yeh IT, Sledge G, Shapiro C, Ingle J, Haskell C, Albain KS, Livingston R, Hayes DF. Outcome of patients with early-stage breast cancer treated with doxorubicin-based adjuvant chemotherapy as a function of HER2 and TOP2A status. *J Clin Oncol* 27: 3881-3886, 2009.
260. Westfall DE, Folpe AL, Paner GP, Oliva E, Goldstein L, Alsabeh R, **Gown AM**, Amin MB. Utility of a comprehensive immunohistochemical panel in the different diagnosis of spindle cell lesions of the urinary bladder. *Am J Surg Pathol* 33: 99-105, 2009.
261. Collins LC, Achacoso N, Nekhlyudov L, Fletcher SW, Haque R, Quesenberry Jr CP, Puligandla B, Alshak NS, Goldstein LC, **Gown AM**, Schnitt SJ, Habel LA. Relationship between clinical and pathologic features of ductal carcinoma in situ and patient age: An analysis of 657 patients. *Am J Surg Pathol* 33: 1802-1808, 2009.
262. **Gown AM**. Tweaking and nudging toward improved-IHC quality. *Appl Immunohistochem Mol Morphol* 17: 363-365, 2009.
263. Baehner FL, Achacoso N, Maddala T, Shak S, Quesenberry CP Jr, Goldstein LC, **Gown AM**, Habel LA. Human epidermal growth factor receptor 2 assessment in a case-control study: Comparison of fluorescence in situ hybridization and quantitative reverse transcription polymerase chain reaction performed by central laboratories. *J Clin Oncol* 28: 4300-4306, 2010.
264. Chiu CG, Strugnell SS, Griffith OL, Jones SJ, **Gown AM**, Walker B, Nabi IR, Wiseman SM. Diagnostic utility of galectin-3 in thyroid cancer. *Am J Pathol* 176: 2067-2081, 2010.
265. Robens J, Goldstein L, **Gown AM**, Schnitt SJ. Thyroid transcription factor-1 expression in breast carcinomas. *Am J Surg Pathol* 34: 1881-1885, 2010.
266. Terry J, Leung S, Laskin J, Leslie KO, **Gown AM**, Ionescu DN. Optimal immunohistochemical markers for distinguishing lung adenocarcinomas from squamous cell carcinomas in small tumor samples. *Am J Surg Pathol* 34: 1805-1811, 2010.
267. Dewar R, Fadare O, Gilmore H, **Gown AM**. Best practices in diagnostic immunohistochemistry: myoepithelial markers in breast pathology. *Arch Pathol Lab Med* 135: 422-429, 2011.
268. Nese N, Martignoni G, Fletcher CD, Gupta R, Pan CC, Kim H, Ro JY, Hwang IS, Sato K, Bonetti F, Pea M, Amin MB, Hes O, Svec A, Kida M, Vankalakunti M, Berel D, Rogatko

- A, **Gown AM**, Amin MB. Pure epithelioid PEComas (so-called epithelioid angiomyolipoma) of the kidney: A clinicopathologic study of 41 cases; detailed assessment of morphology and risk stratification. *Am J Surg Pathol* 35: 161-176, 2011.
269. **Gown AM**, Goldstein LC. The knowns and the unknowns in HER2 testing in breast cancer. *Am J Clin Pathol* 136: 5-6, 2011.
270. Wiseman SM, Griffith OL, **Gown A**, Walker B, Jones SJ. Immunophenotyping of thyroid tumors identifies molecular markers altered during transformation of differentiated into anaplastic carcinoma. *Am J Surg* 201: 580-586, 2011.
271. Tse CH, Hwang HC, Goldstein LC, Kandalaft PL, Wiley JC, Kussick SJ, **Gown AM**. Determining true HER2 gene status in breast cancers with polysomy by using alternative chromosome 17 reference genes: Implications for anti-HER2 targeted therapy. *J Clin Oncol* 29: 4168-4174, 2011.
272. Goldsmith JD, Allred, DC, Beasley MB, Eisen R, Fulton RS, **Gown AM**, Hammond ME. Fixation time does not affect expression of HER2/neu. *Am J Clin Pathol* 135: 480-485, 2011.
273. Allison KH, Kandalaft PL, Sitlani CM, Dintzis SM, **Gown AM**. Routine pathologic parameters can predict Oncotype DX™ recurrence scores in subsets of ER positive patients: who does not always need testing? *Breast Cancer Res Treat* 131: 413-424, 2012.
274. Chapman EM, **Gown A**, Mazziotta R, Churg A. Pulmonary Hyalinizing Granuloma With Associated Elevation in Serum and Tissue IgG4 Occurring in a Patient With a History of Sarcoidosis. *Am J Surg Pathol* 36(5): 774-778, 2012.
275. **Gown AM**, Goldstein LC, Hwang HC, Tse CH. Concordance between human epidermal growth factor receptor 2 testing by reverse transcriptase polymerase chain reaction and fluorescent in situ hybridization. *J Clin Oncol* 30: 1726-7, 2012.
276. Gupta R, Billis A, Shah RB, Moch H, Osunkoya AO, Jochum W, Hes O, Bacchi CE, de Castro MG, Hansel DE, Zhou M, Vankalakunti M, Salles PG, Cabrera RA, **Gown AM**, Amin MB. Carcinoma of the collecting ducts of Bellini and renal medullary carcinoma: clinicopathologic analysis of 52 cases of rare aggressive subtypes of renal cell carcinoma with a focus on their interrelationship. *Am J Surg Pathol* 36: 1265-78, 2012.
277. Shankar J, Wiseman SM, Meng F, Kasaian K, Strugnell S, Mofid A, **Gown A**, Jones SJ, Nabi IR. Coordinated expression of galectin-3 and caveolin-1 in thyroid cancer. *J Pathol* 228: 56-66, 2012.
278. Lee Anna F, **Gown A**, Churg A. IMP3 and GLUT-1 Immunohistochemistry for Distinguishing Benign From Malignant Mesothelial Proliferations, *Am J Surg Pathol* 37: 421-6, 2013.

279. Oliva E, Pinhero NF, Heney NM, Kaufman DS, Shipley WU, Gurski C, Spicer B, Paner GP, **Gown AM**, Amin MB. Immunohistochemistry as an adjunct in the differential diagnosis of radiation-induced atypia versus urothelial carcinoma in situ of the bladder: a study of 45 cases. *Hum Pathol* 44: 860-6, 2013.
280. Husain AN, Colby T, Ordóñez N, Krausz T., Attanoos R, Beasley MB, Borczuk AC, Butnor K, Cagle PT, Chirieac LR, Churg A, Dacic S, Fraire A, Galateau-Salle F, Gibbs A, **Gown A**, Hammar S, Litzky L, Marchevsky AM, Nicholson A, Roggli V, Travis WD, Wick M. Guidelines for Pathologic Diagnosis of Malignant Mesothelioma: 2012 Update of the Consensus Statement from the International Mesothelioma Interest Group. *Arch Pathol Lab Med* 137:647-67, 2013.
281. Blanco LZ Jr, Heagley DE, Lee JC, **Gown AM**, Gattuso P, Rotmensch J, Guirguis A, Dewdney S, Bitterman P. Immunohistochemical characterization of squamous differentiation and morular metaplasia in uterine endometrioid adenocarcinoma. *Int J Gynecol Pathol.* 32(3):283-92, 2013.
282. Marginean EC, **Gown AM**, Jain D. Diagnostic Approach to Hepatic Mass Lesions and Role of Immunohistochemistry. *Surg Path Clin*, 6(2):333-365, 2013.
283. Polley MY, Leung SCY, McShane LM, Gao D, Hugh JC, Mastropasqua MG, Viale G, Zabaglo LA, Penault-Llorca F, Bartlett JMS, **Gown AM**, Symmans WF, Piper T, Mehl E, Enos RA, Hayes DF, Dowsett M, Nielsen TO. An International Ki67 Reproducibility Study. *JNCI J Natl Cancer Inst* 105(24):1897-1906, 2013.
284. Hwang H, Tse C, Rodriguez S, **Gown, AM**, Churg, A. p16 FISH Deletion in Surface Epithelial Mesothelial Proliferations Is Predictive of Underlying Invasive Mesothelioma. *Am J Surg Path* 38(5):681-688, 2014.
285. Holmes BJ, Gown AM, Vang R, Ronnett BM, Yemelyanova A. PAX8 Expression in Uterine Malignant Mesodermal Mixed Tumor (Carcinosarcoma). *Int J Gynecol Pathol*, 33(4):425-31, 2014.
286. Mohanty SK, Smith SC, Chang E, Luthringer DJ, **Gown AM**, Aron M, Amin MB. Evaluation of contemporary prostate and urothelial lineage biomarkers in a consecutive cohort of poorly differentiated bladder neck carcinomas. *Am J Clin Pathol* 142(2):173-83, 2014.
287. Lobo Prabhu KC, Vu L, Chan SK, Phang T, **Gown A**, Jones SJ, Wiseman SM. Predictive utility of cyclo-oxygenase-2 expression by colon and rectal cancer. *Am J Surg* 207(5):712-6, 2014.
288. Yemelyanova A, **Gown AM**, Wu LS, Holmes BJ, Ronnett BM, Vang R. PAX8 expression in uterine adenocarcinomas and mesonephric proliferations. *Int J Gynecol Pathol*, 33(5):492-9, 2014.

289. Kandalaf PL, **Gown AM**, Isacson C. The lung-restricted marker napsin A is highly expressed in clear cell carcinomas of the ovary. *Am J Clin Pathol*, 142(6):830-6, 2014.
290. Banet N, **Gown AM**, Shih IeM, Kay Li Q, Roden RB, Nucci MR, Cheng L, Przybycin CG, Nasser-Nik N, Wu LS, Netto GJ, Ronnett BM, Vang R. GATA-3 expression in trophoblastic tissues: an immunohistochemical study of 445 cases, including diagnostic utility. *Am J Surg Pathol*, 39(1):101-8, 2015.
291. Sheffield BS, Hwang HC, Lee AF, Thompson K, Rodriguez S, Tse CH, **Gown AM**, Churg A. BAP1 immunohistochemistry and p16 FISH to separate benign from malignant mesothelial proliferations. *Am J Surg Pathol*. 39(7):977-82, 2015.
292. Polley MY, Leung SC, Gao D, Mastropasqua MG, Zabaglo LA, Bartlett JM, McShane LM, Enos A, Badve SS, Bane AL, Borgquist S, Fineberg S, Lin MG, **Gown AM**, Grabau D, Gutierrez C, Hugh JC, Moriya T, Ohi Y, Osborne CK, Penault-Llorca FM, Piper T, Porter PL, Sakatani T, Salgado R, Starczynski J, Lænkholm AV, Viale G, Dowsett M, Hayes DF, Nielsen TO. An international study to increase concordance in Ki67 scoring. *Modern Pathol*, 28(6):778-86, 2015.
293. Sheffield BS, Tinker AV, Shen Y, Hwang H, Li-Chang HH, Pleasance E, Ch'ng C, Lum A, Lorette J, McConnell YJ, Sun S, Jones SJ, **Gown AM**, Huntsman DG, Schaeffer DF, Churg A, Yip S, Laskin J, Marra MA. Personalized oncogenomics: clinical experience with malignant peritoneal mesothelioma using whole genome sequencing. *PLoS One*. 10(3), 2015.
294. Menke JR, Raleigh DR, **Gown AM**, Thomas S, Perry A, Tihan T. Somatostatin receptor 2a is a more sensitive diagnostic marker of meningioma than epithelial membrane antigen. *Acta Neuropathol*. 130(3):441-3, 2015.
295. Kandalaf PL, **Gown AM**. Practical Applications in Immunohistochemistry: Carcinomas of Unknown Primary Site. *Arch Pathol Lab Med*. 140(6): 508-23, 2016.
296. Hwang HC, Sheffield BS, Rodriguez S, Thompson K, Tse CH, **Gown AM**, Churg A. Utility of BAP1 Immunohistochemistry and p16 (CDKN2A) FISH in the Diagnosis of Malignant Mesothelioma in Effusion Cytology Specimens. *Am J Surg Pathol*. 40(1): 120-6, 2016.
297. Cossey LN, Hennigar RA, Bonsib S, **Gown AM**, Silva FG. Vascular mesangial channels in human nodular diabetic glomerulopathy. *Hum Pathol*. 48: 148-53, 2016.
298. **Gown AM**, Fulton RS, Kandalaf PL. Markers of metastatic carcinoma of breast origin. A Review. *Histopathology*. 68(1): 86-95, 2016.
299. Hwang HC, **Gown AM**. Evaluation of Human Epidermal Growth Factor Receptor 2 (HER2) Gene Status in Human Breast Cancer Formalin-Fixed Paraffin-Embedded (FFPE)

Tissue Specimens by Fluorescence In Situ Hybridization (FISH). *Methods Mol Biol.* 1406: 61-70, 2016.

300. Hwang HC1, Pyott S, Rodriguez S, Cindric A, Carr A, Michelsen C, Thompson K, Tse CH, **Gown AM**, Churg A. BAP1 Immunohistochemistry and p16 FISH in the Diagnosis of Sarcomatous and Desmoplastic Mesotheliomas. *Am J Surg Pathol.* 40(5): 714-8, 2016.
301. **Gown AM**. Diagnostic Immunohistochemistry: What Can Go Wrong and How to Prevent It. *Arch Pathol Lab Med.* 140(9): 893-8, 2016.
302. Sheffield BS, Fulton R, Kalloger SE, Milne K, Geller G, Jones M, Jacquemont C, Zachara S, Zhao E, Pleasance E, Laskin J, Jones SJ, Marra MA, Yip S, Nelson BH, **Gown AM**, Ho C, Ionescu DN. Investigation of PD-L1 Biomarker Testing Methods for PD-1 Axis Inhibition in Non-squamous Non-small Cell Lung Cancer. *J Histochem Cytochem.* 64(10): 587-600, 2016.
303. Kandalaf PL, Simon RA, Isacson C, **Gown AM**. Comparative Sensitivities and Specificities of Antibodies to Breast Markers GCDFP-15, Mammaglobin A, and Different Clones of Antibodies to GATA-3: A Study of 338 Tumors Using Whole Sections. *Appl Immunohistochem Mol Morphol.* 24(9): 609-614, 2016.