PhenoPath A Quest Diagnostics Company

Toll-free: 1.888.92.PHENO P 1.206.374.9000 F 1.206.374.9009 www.phenopath.com

THIS SECTION FOR PHENOPATH USE ONLY

PHENOPATH USE ONLY

HEME REQ

SPECIMEN INFORMATION			REQUESTING ENTITY NAME & ADDRESS		
Facility specimen collected at			Block(s), submitted stained slides and report will be returned to the Ordering Physician at the address/FAX listed below (unless otherwise requested):		
Collection Date Collection Time			Name (Client ID)		
			Add1		
Multiple specimens submitted:					
Pathology Report:			Add2		
Specimen ID Sublabel Specimen Source			City, ST Zip		
			Phone:		FAX#:
			Ordering Physician Na	ne	NPI#
			Ordering provider signature, credentials & date requested (required by certain payers)		
PROGNOSTIC MARKER STUDIES FIXATION (ASCO/CAP Requirement)					
Fixative: 🗌 10% NBF (Neutral Buffered Formalin) 🗌 Other			only order those tests which are medically necessary for the diagnosis and treatment of the patient. BILLING INFO (If complete and accurate patient billing information is not provided,		
Fixation duration (please circle): <6 hours 6-72 hours >72 hours Unknown			PhenoPath may bill the requesting entity)		
Collection Time: AM/PM Time Placed in Fixative: AM/PM			BILL: Insurance Patient Requesting entity		
PATIENT INFORMATION			PO#		
Name (Last, First, MI)			*If 3 rd –party billing is requested, a copy of face sheet and front/back of patient's ins/Medicare card must be attached, or client will be billed. Direct-bill regulations prohibit PhenoPath from billing a 3 rd -party entity †If requesting entity has been selected, ENTRE billing demographics MUST be documented below If pre-authorization is required but is not obtained, PhenoPath will bill the requesting entity		
DOB] Male 🗌 Female	Attn:	Entity Name	
Medical Record #	Pt #		Department	Address	
			City, ST Zip		
Address			Billing Contact Phone	#:	FAX#:
Phone			TREATING PHYSICIAN (for billing purposes, write/type in the name of the treating physician)		
Phone			A Mail/fax copy of report to treating physician; IF ALL INFO BELOW IS NOT COMPLETED, report will NOT be faxed or mailed		
🗌 Inpatient 🗌 Outpatient 🗌 Non-Hospital Patient			Physician Name:		
CONTACT INFORMATION			Facility Name:		
Person completing form			Mailing Address		
Date Phone			Phone #: FAX#:		
CLINICAL HISTORY			SPECIAL INSTRUCT	ONS	
CLINICAL HISTORY			SPECIAL INSTRUCT	ONS	
FLOW CYTOMETRY (diagnosis under			MOLECULAR: H	ONS ematologic malignan	
	cal history and t	o rule out:	MOLECULAR: Ho	ematologic malignan] FLT3* 🔲 NPM1* 🛄	
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder	cal history and t	o rule out: MRD for Myelom MRD for B-ALL	MOLECULAR: Ho AML Panel*: BCR-ABL1 major JAK2 V617F	e matologic malignan FLT3*	CEBPA* IDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only)
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder	cal history and t yeloid neoplasm cute leukemia	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F JAK2 V617F	ematologic malignan FLT3*	CEBPA* IDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) n 12-13 (72 hr specimen stability)
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder	cal history and t yeloid neoplasm cute leukemia	orule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML	MOLECULAR: Ho AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F CALR JAK2 exon 12	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 F is negative, order: Exon 12 JAK2 exor If CALR is JAK2 exon 12-13	CEBPA* IDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only)
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder	cal history and t yeloid neoplasm cute leukemia her	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F QAK2 V617F QAK2 C617F QAK2 C6	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 is negative, order: Exon 12 JAK2 exor JAK2 exon 12-13 MPL	CEBPA* IDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) n 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability)
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder Minimum Plasma cell neoplasm PNH (FLAER) Perform FISH studies if indicated base	cal history and t yeloid neoplasm ute leukemia .her d on flow cytome	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F JAK2 C617F JAK2 C617F JAK2 C617F JAK2 exon 12 CALR CALR CALR CALR MYD88 L265P BRAF V600 (for	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 F is negative, order: Exon 12 JAK2 exor If CALR is JAK2 exon 12-13 MPL MYD88 L265P (if 1 hairy cell leukemia)	CEBPA* IDH 1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) n 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) negative, order CXCR4*)
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder M Plasma cell neoplasm Ac PNH (FLAER) Ot	cal history and t yeloid neoplasm ute leukemia .her d on flow cytome if	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F QAK2 Exon 12 CALR CALR CALR CALR CALR MYD88 L265P BRAF V600 (for IgVH mutation an	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 E is negative, order: Exon 12 JAK2 exor If CALR is JAK2 exon 12-13 MPL NYD88 L265P (if hairy cell leukemia) alysis (CLL)* NOTCH1* [CEBPA* IDH 1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) n 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) megative, order CXCR4*) I TP53*
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder Plasma cell neoplasm PNH (FLAER) Perform FISH studies if indicated base Perform	cal history and t yeloid neoplasm cute leukemia ther d on flow cytome if Path pathologists	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F QALR QALR AK2 exon 12 CALR QALR BRAF V600 (for I gVH mutation an CLL/SLL profile N TP53 molecular si	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 is negative, order: Exon 12 JAK2 exor JAK2 exor 12-13 JAK2 exor 12-13 MPL MYD88 L265P (if hairy cell leukemia) alysis (CLL)* NOTCH1* [GS (Med Fusion)*: Include tudies and FISH studies for	CEBPA* IDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) n 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) megative, order CXCR4*) TP53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1, Trisomy 12, 13q deletion, TP53 (17p13) deletion,
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder Million Plasma cell neoplasm PNH (FLAER) Perform FISH studies if indicated base Perform Studies to be determined by PhenoP	cal history and t yeloid neoplasm cute leukemia .her d on flow cytom if path pathologists based on flow c	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings	MOLECULAR: Ho AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F QALR CALR CALR CALR CALR MYD88 L265P BRAF V600 (for IgVH mutation an CLL/SLL profile N TP53 molecular s: ATM (11q22.3) de	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 is negative, order: Exon 12 JAK2 exor JAK2 exor 12-13 JAK2 exor 12-13 MPL MYD88 L265P (if hairy cell leukemia) alysis (CLL)* NOTCH1* [GS (Med Fusion)*: Include tudies and FISH studies for	CEBPA* IDH 1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) n 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) negative, order CXCR4*) TP53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1,
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder Mi Plasma cell neoplasm PNH (FLAER) Perform FISH studies if indicated base Perform Studies to be determined by PhenoP Perform molecular studies if indicated	cal history and t yeloid neoplasm cute leukemia ther d on flow cytom if based on flow c if	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F QAK2 V617F QAK2 exon 12 CALR CALR CSF3R* MYD88 L265P BRAF V600 (for IgVH mutation an CLL/SLL profile N TP53 molecular s' ATM (11q22.3) de translocation, ref LeukoVantage -	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 is negative, order: Exon 12 JAK2 exor JAK2 exon 12-13 MPL MYD88 L265P (if hairy cell leukemia) alysis (CLL)* NOTCH1* [GS (Med Fusion)*: Include tudies and FISH studies foi letion, 6q deletion, IGH (14) lex to IGH/BCL2 t(14;18) MDS* LeukoVantage	CEBPA* DIDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) negative, order CXCR4*) TP53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1, Trisomy 12, 13q deletion, TP53 (17p13) deletion, q32.3) rearrangement, IGH/CCND1 t(11;14) - AML* LeukoVantage - MPN*
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder Mi Plasma cell neoplasm PAR PNH (FLAER) Perform FISH studies if indicated base Perform Studies to be determined by Phenop Perform molecular studies if indicated	cal history and t yeloid neoplasm cute leukemia ther d on flow cytom if based on flow c if	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F JAK2 V617F JAK2 exon 12 CALR JAK2 exon 12 CALR CSF3R* MYD88 L265P BRAF V600 (for IgVH mutation an CLL/SLL profile N TP53 molecular s: ATM (11q22.3) de translocation, ref LeukoVantage-Ge Gene Rearrange	ematologic malignan FLT3*	CEBPA* DIDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) a 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) negative, order CXCR4*) TP53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1, Trisomy 12, 13q deletion, TP53 (17p13) deletion, q32.3) rearrangement, IGH/CCND1 t(11;14) a - AML* LeukoVantage - MPN* RARA RT-PCR
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder Plasma cell neoplasm PA PNH (FLAER) Perform FISH studies if indicated base Perform Studies to be determined by PhenoP Perform Studies to be determined by PhenoP Studies to be determined by PhenoP	cal history and t yeloid neoplasm cute leukemia ther d on flow cytom if based on flow c if	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F CALR AK2 exon 12 CALR CALR CALR CALR CALR CALR CALR CALR CALR CALS MYD88 L265P BRAF V600 (for IgVH mutation an CLL/SLL profile N TP53 molecular sr ATM (11q22.3) de translocation, ref LeukoVantage - LeukoVantage - IgH	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 F is negative, order: ixon 12 JAK2 exor I If CALR is JAK2 exon 12-13 MPL MYD88 L265P (if 1 hairy cell leukemia) alysis (CLL)* NOTCH1* [GS (Med Fusion)*: Include tudies and FISH studies for letion, 6q deletion, IGH (14- lex to IGH/BCL2 t(14:18) MDS* LeukoVantage neral Myeloid* PML-1- ement Studies -Kappa] IgH & Ig-Kapp	CEBPA* DIDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) a 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) negative, order CXCR4*) TP53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1, Trisomy 12, 13q deletion, TP53 (17p13) deletion, q32.3) rearrangement, IGH/CCND1 t(11;14) a - AML* LeukoVantage - MPN* RARA RT-PCR
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder Mi Plasma cell neoplasm PA PNH (FLAER) Ot Perform FISH studies if indicated base Perform Studies to be determined by PhenoP Perform Studies to be determined by PhenoP Perform Studies to be determined by PhenoP CYTOGENETICS	cal history and t yeloid neoplasm sute leukemia ther d on flow cytome if if ath pathologists Path pathologists	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F CALR AK2 exon 12 CALR CSF3R* MYD88 L265P BRAF V600 (for IgVH mutation an CLL/SLL profile N TP53 molecular s: ATM (11q22.3) de translocation, ref LeukoVantage-Ge Gene Rearrange IgH IgH TCR-gamma T	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 F is negative, order: Exon 12 JAK2 exor I f CALR is JAK2 exon 12-13 MPL MYD88 L265P (if hairy cell leukemia) alysis (CLL)* NOTCH1* [GS (Med Fusion)*: Include tudies and FISH studies for letion, 6q deletion, IGH (14 lex to IGH/BCL2 t(14;18) MDS* LeukoVantage neral Myeloid* PML-1 mment Studies g-Kappa IgH & Ig-Kappa CR-beta TCR-gamma &	CEBPA* DIDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) n12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) negative, order CXCR4*) TP53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1, Trisomy 12, 13q deletion, TP53 (17p13) deletion, q32.3) rearrangement, IGH/CCND1 t(11;14) - AML* LeukoVantage - MPN* RARA RT-PCR a DIGH (if negative, perform Ig-Kappa) TCR-beta TCR-gamma (if negative, perform TCR-beta)
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder Million Plasma cell neoplasm Ac PNH (FLAER) Perform FISH studies if indicated base Perform Studies to be determined by PhenoP Perform molecular studies if indicated Perform Studies to be determined by PhenoP CYTOGENETICS Chromosome analysis	cal history and t yeloid neoplasm cute leukemia ther d on flow cytome if based on flow c if Path pathologists	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings s ytometry findings	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F CALR AK2 exon 12 CALR CALR CALR CALR CALR DAK2 exon 12 CALR CALR CALR CALR CALR CALS MYD88 L265P BRAF V600 (for IgVH mutation an CLL/SLL profile N TP53 molecular s ATM (11q22.3) de translocation, ref LeukoVantage-G Gene Rearrange IgH TCR-gamma T	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 Fis negative, order: ixon 12 JAK2 exor If CALR is JAK2 exon 12-13 MPL MYD88 L265P (if hairy cell leukemia) alysis (CLL)* NOTCH1* [GS (Med Fusion)*: Include tudies and FISH studies for letion, 6q deletion, IGH (14: lex to IGH/BCL2 t(14:18) MDS* LeukoVantage ineral Myeloid* PNL-1 ment Studies FKappa IgH & Ig-Kapp; CR-beta TCR-gamma &	CEBPA* DIDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) a 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) megative, order CXCR4*) TF53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1, Trisomy 12, 13q deletion, TP53 (17p13) deletion, q32.3) rearrangement, IGH/CCND1 t(11;14) - AML* LeukoVantage - MPN* RARA RT-PCR a DIgH (if negative, perform Ig-Kappa) TCR-beta TCR-gamma (if negative, perform TCR-beta)
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder Million Plasma cell neoplasm PA PNH (FLAER) Perform FISH studies if indicated base Perform Studies to be determined by PhenoP Perform molecular studies if indicated Perform Studies to be determined by PhenoP CYTOGENETICS Chromosome analysis FISH PANELS **Available on paraffi ALL*: Probes vary by vendor; please cont AML: t(15;17) PML/RARA**	cal history and t yeloid neoplasm ute leukemia .her d on flow cytome if Path pathologists based on flow c if Path pathologists n tact PhenoPath Cl inv16 Brk(8;	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings s ytometry findings s	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F JAK2 exon 12 CALR JAK2 exon 12 CALR JAK2 exon 12 CALR CSF3R* MYD88 L265P BRAF V600 (for IgVH mutation an CLL/SLL profile N TP53 molecular sr ATM (11q22.3) de translocation, ref LeukoVantage - LeukoVantage - LeukoVantage - CGene Rearrange IgH TCR-gamma T	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 is negative, order: Exon 12 JAK2 exor JAK2 exon 12-13 MPL MYD88 L265P (if hairy cell leukemia) alysis (CLL)* NOTCH1* [GS (Med Fusion)*: Include tudies and FISH studies for letion, 6q deletion, IGH (14, lex to IGH/BCL2 t(14;18) MDS* JeukoVantage neral Myeloid* PML-1 ment Studies g-Kappa IgH & Ig-Kappi CR-beta TCR-gamma & 17p13.1_P53 11q2 CCEP12 (trisomy) IGH	CEBPA* DIDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) a 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) negative, order CXCR4*) TF53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1, Trisomy 12, 13q deletion, TP53 (17p13) deletion, q32.3) rearrangement, IGH/CCND1 t(11;14) - AML* LeukoVantage - MPN* RARA RT-PCR a IgH (if negative, perform Ig-Kappa) TCR-beta TCR-gamma (if negative, perform TCR-beta) 22.3_ATM 13q14.3_D13S319 13q34_LAMP Brk** t(11;14) CCND1/IGH**
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder Mill Plasma cell neoplasm PAR PHA PHA PHA Perform FISH studies if indicated base Perform Studies to be determined by PhenoP Perform Studies to be determined by PhenoP CYTOGENETICS Chromosome analysis FISH PANELS **Available on paraffi ALL*:	cal history and t yeloid neoplasm ute leukemia ther d on flow cytome if Path pathologists based on flow c if Path pathologists n tact PhenoPath Cl inv16 Brkt(8;;] CEP8 (trisomy) [o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings s ytometry findings s	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F JAK2 V617F JAK2 exon 12 CALR JAK2 exon 12 CALR CSF3R* MYD88 L265P BRAF V600 (for IgVH mutation an CLL/SLL profile N TP53 molecular s: ATM (11q22.3) de translocation, ref LeukoVantage-Ge Gene Rearrange IgH TCR-gamma T CLL/SLL: MALT1 Panel: Not available on fresh	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 F is negative, order: Exon 12 JAK2 exor JAK2 exor 12-13 JAK2 exon 12-13 MPL MYD88 L265P (if hairy cell leukemia) alysis (CLL)* NOTCH1* (GS (Med Fusion)*: Include tudies and FISH studies for letion, 6q deletion, IGH (14- lex to IGH/BCL2 t(14;18) MDS* LeukoVantage meral Myeloid* PML-1 ment Studies -Kappa IgH & Ig-Kapp CR-beta TCR-gamma & 17p13.1_P53 1102 CEP12 (trisomy) IGH MALT1 Brk** If MALT1 is +, run t(1	CEBPA* DIDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) a 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) negative, order CXCR4*) TF53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1, Trisomy 12, 13q deletion, TP53 (17p13) deletion, q32.3) rearrangement, IGH/CCND1 t(11;14) - AML* LeukoVantage - MPN* RARA RT-PCR a IgH (if negative, perform Ig-Kappa) TCR-beta TCR-gamma (if negative, perform TCR-beta) 22.3_ATM 13q14.3_D13S319 13q34_LAMP Brk** t(11;14) CCND1/IGH**
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder MI Plasma cell neoplasm Ad PNH (FLAER) Ot Perform FISH studies if indicated base Perform Studies to be determined by PhenoP Perform molecular studies if indicated Perform Studies to be determined by PhenoP CYTOGENETICS Chromosome analysis FISH PANELS **Available on paraffi ALL*: Probes vary by vendor; please com MLL: 1(15;17) PML/RARA** CBFB MLL: 1(11q23) Brk 7/del 7q	cal history and t yeloid neoplasm ute leukemia ther d on flow cytome if Path pathologists based on flow c if Path pathologists n tact PhenoPath Cl inv16 Brkt(8;;] CEP8 (trisomy) [o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings s ytometry findings s	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F CALR JAK2 exon 12 CALR CALR CALR CALR DAK2 exon 12 CALR DAK2 exon 12 CALS DAK2 exon 12 CALS DAK2 exon 12 DAK2 exon 12 CALS DAK2 exon 12 DAK2 exon 12 CALS DAK2 exon 12 DAK2 exon	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 Fis negative, order: Exon 12 JAK2 exor If CALR is JAK2 exon 12-13 MPL MYD88 L265P (if hairy cell leukemia) alysis (CLL)* NOTCH1* [GS (Med Fusion)*: Include tudies and FISH studies for letion, 6q deletion, IGH (14 lex to IGH/BCL2 t(14;18) MDS* LeukoVantage g-Kappa IgH & Ig-Kappi CR-beta TCR-gamma & 17p13.1_P53 11q2 CEP12 (trisomy) IGH MALT1 Brk** If MALT1 Brk** MYC Brk** 1t(8;14) MYC w-listed order of priority p13.1_P53 1q21+1p21	CEBPA* DIDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) negative, order CXCR4*) TP53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1, Trisomy 12, 13q deletion, TP53 (17p13) deletion, q32.3) rearrangement, IGH/CCND1 t(11;14) - AML* LeukoVantage - MPN* RARA RT-PCR aIgH (if negative, perform Ig-Kappa) TCR-betaTCR-gamma (if negative, perform TCR-beta) 22.3_ATM13q14.3_D13S31913q34_LAMP Brk**t(11;14) CCND1/IGH** 1;18) MALT/BIRC3 //IGHt(14;18) IGH/BCL2**BCL6 Brk**): MYC Brk**13q14.3_D13531913q34_LAMP
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder MI Plasma cell neoplasm Addition PHA (FLAER) Ot Perform FISH studies if indicated base Perform FISH studies if indicated base Perform Studies to be determined by PhenoP Perform molecular studies if indicated Perform Studies to be determined by PhenoP CYTOGENETICS Chromosome analysis FISH PANELS **Available on paraffi ALL*: Probes vary by vendor; please cont ALL*: Probes vary by rendor; please cont MLL (11q23) Brk _ 7/del 7q APL: t(15;17) PML/RARA** _ CBFB MLL (11q23) Brk _ 7/del 7q APL: t(9;22) BCR/ABL** MDS: EGR1 (5q31/5p15.5) 7/del 7	cal history and t yeloid neoplasm pute leukemia ther	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings s ytometry findings s ient Services for details 21) RUNX1/RUNX1T1 EGR1 (5q31/5p15.5) 12 CEP8 (trisomy)	MOL ECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F CALR JAK2 exon 12 CALR	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 F is negative, order: Exon 12 JAK2 exor JAK2 exon 12-13 MPL MYD88 L265P (if hairy cell leukemia) alysis (CLL)* NOTCH1* [GS (Med Fusion)*: Include tudies and FISH studies for letion, 6q deletion, IGH (144) lex to IGH/BCL2 t(14;18) MDS* LeukoVantage meral Myeloid* PML-1 ment Studies g-Kappa IgH & Ig-Kappi CR-beta TCR-gamma & 17p13.1_P53 11q2 CEP12 (trisomy) IGH MALT1 Brk** If MALT1 is +, run t(1 MYC Brk** 1(8;14) MYC w-listed order of priority p13.1_P53 1q21+1p21 t(4;14) FGFR3/IGH** 1(14)	CEBPA* DIDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) a 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) hegative, order CXCR4*) TP53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1, Trisomy 12, 13q deletion, TP53 (17p13) deletion, q32.3) rearrangement, IGH/CCND1 t(11;14) - AML* LeukoVantage - MPN* RARA RT-PCR a] IgH (if negative, perform Ig-Kappa) TCR-beta TCR-gamma (if negative, perform TCR-beta) CR-beta TCR-gamma (if negative, perform TCR-beta) 22.3_ATM] 13q14.3_D13S319] 13q34_LAMP Brk** t(11;14) IGH/BCL2** BCL6 Brk**): MYC Brk** 13q14.3_D13S319] 13q34_LAMP 16) IGH/MAF** t(14;20) IGH/MAFB ** CC9,CEP5,CC3
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder Million Plasma cell neoplasm Addition PNH (FLAER) Ot Perform FISH studies if indicated base Perform Studies to be determined by PhenoP Perform molecular studies if indicated Perform Studies to be determined by PhenoP CYTOGENETICS Chromosome analysis FISH PANELS **Available on paraffi ALL*: Probes vary by vendor; please cont AML: t(15;17) PML/RARA** MLL (11q23) Brk 7/del 7q APL: t(15;17) PML/RARA** MDS: EGR1 (5q31/5p15.5) 7/del 7 Eosinophilia: PDGFRA-FIP1L1	cal history and t yeloid neoplasm pute leukemia ther	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings s ytometry findings s ient Services for details 21) RUNX1/RUNX1T1 EGR1 (5q31/5p15.5) 12 CEP8 (trisomy) FGFR Brk	MOL ECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F CALR JAK2 exon 12 CALR	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 is negative, order: Exon 12 JAK2 exor JAK2 exon 12-13 MPL MYD88 L265P (if hairy cell leukemia) alysis (CLL)* NOTCH1* [GS (Med Fusion)*: Include tudies and FISH studies for letion, 6q deletion, IGH (144 lex to IGH/BCL2 t(14;18) MDS* LeukoVantage meral Myeloid* PML-1 ment Studies g-Kappa IgH & Ig-Kappi CR-beta TCR-gamma & 17p13.1_P53 11q2 CEP12 (trisomy) IGH MALT1 Brk** If MALT1 is +, run t(1 MYC Brk** 1(8;14) MYC w-listed order of priority p13.1_P53 1q21+1p21 t(4;14) FGFR3/IGH** 1(14) t needed* sma cells is < 20% by flow cyto	CEBPA* DIDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) a 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) pregative, order CXCR4*) TP53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1, Trisomy 12, 13q deletion, TP53 (17p13) deletion, q32.3) rearrangement, IGH/CCND1 t(11;14) - AML* LeukoVantage - MPN* RARA RT-PCR a] IgH (if negative, perform Ig-Kappa) TCR-beta TCR-gamma (if negative, perform TCR-beta) CR-beta TCR-gamma (if negative, perform TCR-beta) CR-beta 13q14.3_D13S319 13q34_LAMP Brk** t(11;14) IGH/BCL2** BCL6 Brk**): MYC Brk** 13q14.3_D13S319 13q34_LAMP 16) IGH/MAF** t(14;20) IGH/MAFB ** CC9,CEP5,CC3 pmetry or morphology, enrichment is needed; check box
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder MI Plasma cell neoplasm Addition PHA (FLAER) Ot Perform FISH studies if indicated base Perform FISH studies if indicated base Perform Studies to be determined by PhenoP Perform molecular studies if indicated Perform Studies to be determined by PhenoP CYTOGENETICS Chromosome analysis FISH PANELS **Available on paraffi ALL*: Probes vary by vendor; please cont ALL*: Probes vary by rendor; please cont MLL (11q23) Brk _ 7/del 7q APL: t(15;17) PML/RARA** _ CBFB MLL (11q23) Brk _ 7/del 7q APL: t(9;22) BCR/ABL** MDS: EGR1 (5q31/5p15.5) 7/del 7	cal history and t yeloid neoplasm ute leukemia ther d on flow cytome if Path pathologists based on flow c if Path pathologists based on flow c if Path pathologists (n tact PhenoPath Cl inv16 Brk t(8;) CEP8 (trisomy) [A Brk**] Deletion 20q PDGFRB Brk listed in a panel may be as may also be available;	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for T-ALL MRD for etry findings s ytometry findings s ient Services for details 21) RUNX1/RUNX1T1 EGR1 (5q31/5p15.5) 12 CEP8 (trisomy) FGFR Brk ordered individually (use "directed te full consult available; visit our websi	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F JAK2 exon 12 CALR JAK2 exon 12 CALR AK2 exon 12 CALR DYD88 L265P BRAF V600 (for BRAF V600 (for CLL/SLL profile N TP53 molecular st ATM (11q22.3) de translocation, ref LeukoVantage-Ge Gene Rearrange IgH TCR-gamma T MALT1 Panel: Not available on fresh Aggressive B-NHL: Myeloma (in the belo IGH 14q32 Rea 11(11:4) CCND1/IGH** CL1/38 enrichmen *If the % of abnormal pla: sts" section or write-in request if not teor call 1.866.927.4366 for more in	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 F is negative, order: Exon 12 JAK2 exor JAK2 exon 12-13 MPL MYD88 L265P (if hairy cell leukemia) alysis (CLL)* NOTCH1* [GS (Med Fusion)*: Include tudies and FISH studies for letion, 6q deletion, IGH (14- lex to IGH/BCL2 t(14;18) MDS* LeukoVantage ment Studies g-Kappa IgH & Ig-Kapp- CR-beta TCR-gamma & 17p13.1_P53 11q2 CEP12 (trisomy) IGH MALT1 Brk** If MALT1 is +, run t(1 MYC Brk** t(8;14) MYC w-listed order of priority p13.1_P53] 1q21+1p21 t(4;14) FGFR3/IGH** t(14- t tneeded* sma cells is < 20% by flow cytut (listed); tests for formation.	CEBPA* DIDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) a 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) hegative, order CXCR4*) TP53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1, Trisomy 12, 13q deletion, TP53 (17p13) deletion, q32.3) rearrangement, IGH/CCND1 t(11;14) - AML* LeukoVantage - MPN* RARA RT-PCR a] IgH (if negative, perform Ig-Kappa) TCR-beta TCR-gamma (if negative, perform TCR-beta) CR-beta TCR-gamma (if negative, perform TCR-beta) 22.3_ATM] 13q14.3_D13S319] 13q34_LAMP Brk** t(11;14) IGH/BCL2** BCL6 Brk**): MYC Brk** 13q14.3_D13S319] 13q34_LAMP 16) IGH/MAF** t(14;20) IGH/MAFB ** CC9,CEP5,CC3
FLOW CYTOMETRY (diagnosis under Flow cytometry analysis based on clini Lymphoproliferative disorder M Plasma cell neoplasm Ac PNH (FLAER) Ot Perform FISH studies if indicated base Perform Molecular studies if indicated base Perform molecular studies if indicated Perform molecular studies if indicated Perform analysis FISH PANELS **Available on paraffi ALL*: Probes vary by vendor; please cont MLL: 1(15;17) PML/RARA** CBFB MLL: 1(15;17) PML/RARA** CBFB MDS: CBFR (Start PARA CBFB) POGFRA-FIP1L1 CBFR Performed at an additional charge. NOTES:Most tests Other disease state Send: Reqs (List req #) CBFB) CBFB (List req #) CBFB) CBFB (List req #) CBFB) CBFB (List red #)	cal history and t yeloid neoplasm ute leukemia .her d on flow cytome if Path pathologists based on flow c if Path pathologists Path pathologists DEP8 (trisomy) (A Brk ** q Deletion 20q PDGFRB Brk listed in a panel may be smay also be available; Tran	o rule out: MRD for Myelon MRD for B-ALL MRD for T-ALL MRD for AML MRD for etry findings s ytometry findings s ient Services for details 21) RUNX1/RUNX1T1 EGR1 (5q31/5p15.5) 12 CEP8 (trisomy) FGFR Brk ordered individually (use "directed te full consult available; visit our websi sport Kits TC Tran	MOLECULAR: He AML Panel*: BCR-ABL1 major JAK2 V617F If JAK2 V617F JAK2 V617F JAK2 Exon 12 CALR JAK2 exon 12 CALR CALR CSF3R* MYD88 L265P BRAF V600 (for BRAF V600 (for BRAF V600 (for CLL/SLL profile N TP53 molecular sr ATM (11q22.3) de translocation, ref LeukoVantage - LeukoVantage - LeukoVantage - LeukoVantage - CLL/SLL: MALT1 Panel: Not available on fresh Aggressive B-NHL: Myeloma (in the belo GIGH 14q32 Rea 17 t(11;14) CCND1/IGH** CD138 enrichmen *If the % of abnormal pla: sts" section or write-in request if not te or call 1.866.927.4366 formore in Sport Kits RPMI	ematologic malignan FLT3* NPM1* & minor BCR-ABL1 is negative, order: Exon 12 JAK2 exor JAK2 exon 12-13 MPL MYD88 L265P (if hairy cell leukemia) alysis (CLL)* NOTCH1* [GS (Med Fusion)*: Include tudies and FISH studies for letion, 6q deletion, IGH (144) lex to IGH/BCL2 t(14;18) MDS* LeukoVantage neral Myeloid* PML-1 ment Studies g-Kappa]gH & Ig-Kappi CR-beta TCR-gamma & 17p13.1_P53]11q2 CEP12 (trisomy)]IGH MALT1 Brk** If MALT1 is +, run t(1 MYC Brk** 1 t(8;14) MYC w-listed order of priority p13.1_P53]1q21+1p21 t4;14) FGFR3/IGH**]t(14; t needed* sma cells is < 20% by flow cytor authorize t Michels] Other	CEBPA* DIDH1/IDH2* major (p210) only BCR-ABL1 minor (p190 only) a 12-13 (72 hr specimen stability) negative, order MPL (72 hr specimen stability) pregative, order CXCR4*) TP53* s BIRC3, BTK, MYD88, NOTCH1, PLCG2, SF3B1, Trisomy 12, 13q deletion, TP53 (17p13) deletion, q32.3) rearrangement, IGH/CCND1 t(11;14) - AML* LeukoVantage - MPN* RARA RT-PCR a] IgH (if negative, perform Ig-Kappa) TCR-beta TCR-gamma (if negative, perform TCR-beta) CR-beta TCR-gamma (if negative, perform TCR-beta) CR-beta 13q14.3_D13S319 13q34_LAMP Brk** t(11;14) IGH/BCL2** BCL6 Brk**): MYC Brk** 13q14.3_D13S319 13q34_LAMP 16) IGH/MAF** t(14;20) IGH/MAFB ** CC9,CEP5,CC3 pmetry or morphology, enrichment is needed; check box

By submitting a specimen with this requisition form, you agree:

- 1) The information provided on this form and accompanying paperwork is complete and accurate.
- 2) If the information is not accurate, and PhenoPath cannot obtain reimbursement for services that have been requested and provided, Client agrees to accept financial responsibility.
- 3) If the test order is ambiguous, PhenoPath may contact client to determine intent. Testing may be delayed.
- Requests for testing PhenoPath does NOT perform (for current test menu, consult PhenoPath's website www.phenopath.com or contact Client Services at 1.206.374.9000, or Toll-free at 1.888.92.PHENO (1.888.927.4366):
 - a) PhenoPath may forward specimens to an alternate facility for testing it does not perform, upon authorization by Client.
 - b) PhenoPath will manage return of applicable specimen to Client.
 - c) By signing the authorization form, Client agrees to pay for authorized services that are not paid for by a third party. PhenoPath can only bill for professional services provided by PhenoPath.

ICD-10 – All providers, laboratories, institutions, hospitals, and other providers ordering laboratory testing to be performed by PhenoPath Laboratories must provide all clinically relevant ICD-10-CM diagnosis codes for all testing submitted.

Direct Bill Law – Washington is a "direct-bill" state for anatomic pathology services (http://apps.leg.wa.gov/rcw/default.aspx?cite=48.43.081, RCW 48.43.081). This means that for specimens originating in the State of Washington, PhenoPath can only send a bill to the entity that ordered the services (or to the patient or their insurance).

MEDICARE COVERAGE DETERMINATIONS – PhenoPath is a Medicare participating provider, and is subject to the local coverage determinations (LCD) of the Medicare Administrative Contractor (MAC) for Jurisdiction F, Noridian Healthcare Solutions, Contractor No. 02402. Additional information can be obtained online at: https://www.noridianmedicare.com/partb/coverage/active.html.

MEDICARE MEDICAL NECESSITY REQUIREMENTS – When ordering laboratory tests that are billed to Medicare/Medicaid or other federally funded programs, the following requirements may apply:

- 1) Only tests that are medically necessary for the diagnosis or treatment of the patient should be ordered. Medicare does not pay for screening tests, except for certain specifically approved procedures, and may not pay for non-FDA-approved tests or tests considered experimental.
- 2) If there is reason to believe that Medicare will not pay for a test, the patient should be informed, and asked to sign an Advanced Beneficiary Notice (ABN) to indicate whether he/she accepts responsibility for the cost of the test if Medicare denies payment.
- 3) The ordering physician must provide all clinically relevant ICD-10 diagnosis codes, not a narrative description, in order to support the medical necessity of each test ordered. Providing ICD-10 codes on the Requisition will avoid unnecessary phone calls to physician and client offices as well as delays in service to patients to obtain medical necessity documentation. PhenoPath may contact Client to obtain diagnosis information for reasons including, but not limited to the following:
 - A diagnosis code is not provided.
 - The provided diagnosis appears inconsistent with the patient's demographic, the patient's medical condition or the testing services being ordered.
 - The provided diagnosis does not meet the coverage criteria as supporting medical necessity for testing services covered by a Medicare LCD.
- 4) Organ- or disease-oriented panels should be billed to Medicare only when every component of the panel is medically necessary. The OIG takes the position that a physician who orders medically unnecessary tests for which Medicare reimbursement is claimed may be subject to civil penalties. PhenoPath- and client-customized panels should be billed to Medicare only when every component of the customized panel is medically necessary. PhenoPath offers groups of tests based on accepted clinical practice.

Advanced Beneficiary Notice ("ABN") – An ABN, Form CMS-R-131, is a standardized notice you must issue to a Medicare beneficiary before providing certain Medicare Part B (outpatient) or Part A (limited to hospice, home health agencies [HHAs], and Religious Nonmedical Healthcare Institutions only) items or services. You must issue the ABN when:

- You believe Medicare may not pay for an item or service;
- Medicare usually covers the item or service; and
- Medicare may not consider the item or service medically reasonable and necessary for this patient in this particular instance. You should only provide ABNs to beneficiaries enrolled in original (fee-for-service) Medicare. ABNs allow beneficiaries to make informed decisions about whether to get services and accept financial responsibility for those services if Medicare does not pay. The ABN serves as proof the beneficiary knew prior to getting the service that Medicare might not pay. If you do not issue a valid ABN to the beneficiary when Medicare requires it, you cannot bill the beneficiary for the service, and you may be financially liable if Medicare doesn't pay. You may also use the ABN as an optional (voluntary) notice to alert beneficiaries of their financial liability prior to providing care that Medicare never covers. ABN issuance is not required to bill a beneficiary for an item or service that is not a Medicare benefit and never covered.
- If you order a test that does not meet Medicare's medical necessity guidelines, it is important that you complete an ABN and have it signed by the patient at the time of service. This will allow you and PhenoPath to bill the patient for the services provided if Medicare does not reimburse us for the test(s) and if the patient has accepted the financial responsibility. Medicare defines medical necessity as services that are: reasonable and necessary, for the diagnosis or treatment of an illness or injury or to improve the functioning of a malformed body member, and not excluded under another provision of the Medicare Program. All services reported to the Medicare Program by healthcare professionals must demonstrate medical necessity through the use of International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM) diagnostic coding carried to the highest level of specificity for the date of service.

Physician Clinical Consultant: PhenoPath's pathologists are available to discuss appropriate testing and test ordering with ordering physicians.